State of Connecticut

One Hundred and Thirty-Seventh

REGISTRATION REPORT

1984

STATE OF CONNECTICUT

ONE HUNDRED AND THIRTY-SEVENTH
REGISTRATION REPORT

of

Births, Marriages, Divorces and Deaths

for the

YEAR ENDED DECEMBER 31, 1984

Issued by
THE STATE DEPARTMENT OF HEALTH SERVICES
HARTFORD

Published by the State

Price $10.00

DEPARTMENT OF HEALTH SERVICES

HARTFORD, March 28, 1986

To His Excellency, William A. O'Neill, Governor of the State of Connecticut:

Sir:

In compliance with the laws of the State, I have the honor to present to you the one hundred and thirty-seventh report, relating to the birth, marriages, divorces and deaths that were registered in Connecticut in the year 1984.

Very respectifully,

DOUGLAS S. LLOYD, M.D., M.P.H.

Commissioner of Health Services

Douglas S. Lloyd, M.D., M.P.H.
Commissioner of Health Services

Sir:

I have the honor to submit herewith the annual registration report for the year 1984, prepared by the Statistical Analysis Unit of the Division of Health Statistics. At this time I wish to express my appreciation of the work performed by the unit staff in preparing this report.

CHRISTINE PATTEE, Dr. P.H.
Acting Chief, Statistical Analysis Unit
Staff Director, Vital Records

ROSALIND S. BENNETT, B.S.
Research Analyst, Statistical Analysis Unit

MERTON S. HONEYMAN, Ph.D.
Acting Registrar

CONTENTS

Vital Statistics for 1984 — Page

Summary for Year 5
Population Estimate, 1984 5
Births 6
Fetal Deaths 6
Deaths 6
Leading Causes of Death 6
Infant Mortality 7
Marriages 7
Divorces 7

TABLES

Table No.

1 Population Estimate, 1984, by age and sex 8
2 Estimate of population and vital statistics by towns of residence 9
3 Live births, Connecticut residents by age of mother 15
4 Live births to residents of Connecticut towns by race, low birthweight and maternal age 16
5 Fetal deaths occurring in Connecticut 29
6 Causes of fetal deaths occurring in Connecticut 30
7 Causes of death, Connecticut residents 31
8 Causes of death among nonwhites 35
9 Deaths under one year of age (infants) 38
10 Selected causes of infant deaths 43
11 Leading causes of death by age groups 46
12 Number of present marriage for brides and grooms 48
13 Previous marital status of brides and grooms 48
14 Dissolution of marriages 49
15 Children under 18 involved in dissolution of marriages 49
16 Duration of marriages dissolved in 1984 49

Glossary 50

Rates, calculation of 51

REGISTRATION REPORT OF VITAL STATISTICS IN CONNECTICUT

The Annual Registration Report of Vital Statistics, 1984, is a statistical summary of vital events for the State of Connecticut. Presented are data pertaining to births, deaths, marriages, and divorces.

Certain qualifications must be made with regard to the data contained herein, and should be kept in mind when examing data sets:

A. Completeness of Registration
The Connecticut Department of Health Services reciprocates with other states and the provinces of Canada in exchanging copies of birth and death records for non-residents. Registration of births in Connecticut is 99.9% complete and there is virtually no underreporting of deaths. Because there is no interstate transfer of marriage, divorce and fetal death records, it is not possible to determine the completeness of registration of these events to Connecticut residents.

B. Comparability of Cause-of Death Data
The system for classifying causes of death, the International Classification of Diseases (ICD), is revised every ten years to reflect changes in medical practices and new medical knowledge. Each revision results in a degree of discontinuity in cause-of-death statistics. A ratio of comparability must be used to adjust for changes in classification from one ICD revision to another. Causes of death in 1984 were coded using the ninth revision of the ICD which became effective in 1979.

C. Comparison of Rates
Caution should be used in drawing conclusions based on rates which are calculated from small numbers of events or for small geographic areas. Because these rates may vary considerably, use of them for comparison purposes or for estimating future events will be limited.

D. For Further Information
Further information can be obtained by contacting the Statistical Analysis Unit of the Division of Health Statistics, 150 Washington Street, Hartford,Connecticut 06106, Telephone numbers 566-5451 or 566-8515.

POPULATION

The estimated population of Connecticut as of July 1, 1984 was 3,169,670. This reflects a natural increase (difference between births and deaths) of 13,927, and a net migration into Connecticut of 18,403. The population estimated for 1984 is an increase of 1.03% over the previous year. The population of each town in Connecticut is estimated yearly using the preceding U.S. decennial census as a base line. Changes are calculated according to known births and deaths and migration as estimated by school enrollment and housing unit changes.

BIRTHS

In 1984 the number of resident live births was 42,184. This represents an increase of 1,128 from 1983 and an increase in the birth rate from 13.1 to 13.3 per 1,000 population. There were 1,087 births to Connecticut residents occurring out of state, 2.6% of the total births. There were 3,956 births to teenage mothers (19 years of age or less). This was 9.4% of all births, a decrease from 9.9% in 1983.

Fetal Deaths

The fetal death ratio increased in 1984 with a total count of 322 or 7.7 deaths per 1,000 live births occurring in Connecticut compared to 265 deaths and a ratio of 6.5 in 1983.

DEATHS

The number of registered deaths among Connecticut residents for 1984 was 27,766, for a crude rate of 8.8 per 1,000 population. Of the total number of resident deaths, 14,044 were males and 13,721 were females.

Of the total resident deaths, the greatest number occurred among persons 80 years of age or over. Deaths in this age group numbered 10,022 in 1984, or 36.1% of the total number of resident deaths. The median age at death was 74.8. Death for females occurred at an older age than males, a median of 78.7 and 71.4, respectively.

Leading Causes of Death

In 1984 as in 1983, the five leading causes of death, in the order of their proportional share of the total number of deaths, were diseases of the heart, malignant neoplasms, cerebrovascular disease, accidents, and influenza and pneumonia. The leading cause of death of the age group 1 to 44 was accidents. Between 45 and 64 years of age, the leading cause was malignant neoplasms and for 65 years and over it was diseases of the heart.

Diseases of the Heart

Heart diseases accounted for 10,620 resident deaths in 1984, for a total proportional share of 38.2%. This is the same as the proportional share in 1983. The median age at death from heart disease was 77.9. Acute myocardial infarction claimed a 31.8% share of total heart disease mortality with a 38.3% share attributed to other ischemic heart disease. Median age at death from myocardial infarction was 75.5, for other ischemic heart disease, median age was 81.1.

Malignant Neoplasms

There were 6,687 deaths attributed to malignant neoplasms in 1984, a proportional share of 24.1% of all resident mortality. The median age at death due to cancer was 70.5. Malignant neoplasms of the digestive organs accounted for 27.7% of all deaths in this category. This site is followed by malignant neoplasms of the respiratory system (24.3%), of the genitourinary system (14.1%), of the breast (9.6%) and of the lymphatic and hematopoietic tissue (8.9%).

Cerebrovascular Disease

Cerebrovascular disease was responsible for 1,882 resident deaths in Connecticut. This cause of death had a proportional share of 6.8% of total resident deaths, a decrease from 7.1% in 1983. The median age at death from cerebrovascular disease was 81.5.

Accidents

A total of 938 accidents, of all types, accounted for 3.4% of all resident deaths in 1984, a very slight decrease from 3.6% in 1983. Of this total 49.9% was attributed to resident motor vehicle accidents, a noticeable increase from 39.2% in 1983. Forty-one percent (41.0%) of all motor vehicle deaths occurred to those 24 years of age and less. The leading cause of non-motor vehicle accidents was falls, which had a 14.2% share of the total accidents.

Influenza and Pneumonia

There were 882 deaths from these causes; amounting to 3.2% of all resident deaths, compared to 3.1% in 1983. The crude mortality rate per 100,000 population was 27.8.

Infant Deaths

There were 435 resident infant deaths in Connecticut in 1984, a rate of 10.3 per 1,000 live births, compared to the previous year's total of 412, or 10.0 deaths per 1,000 live births. From 1983, this represents an increase in infantdeaths of 5.6%. Connecticut was under the national rate of 10.6 infant deaths per 1,000 live births. Of all resident infant deaths, 44.6% occurred within the first day of life, 61.6% within the first week and 71.5% within the first month. Neonatal deaths showed a 0.6% decrease from 317 in 1983 to 315 in the current year.

MARRIAGES

Marriages occurring in Connecticut totaled 27,236 in 1984, a 1.5% increase over the previous year. The current year's total represents a marriage rate of 17.2 persons marrying in Connecticut per 1,000 population compared to 17.1/1,000 in 1983. The median age at marriage for grooms was 28.0, and for brides, 25.9; an increase from 1983 when the median age for grooms was 27.8 and for brides 25.6.

MARRIAGE DISSOLUTIONS

There were 11,777 marriages dissolved in Connecticut during 1984, for a marriage dissolution rate of 7.4 persons per 1,000 population. The current rate is a decrease of 3.9% over the previous year.

Duration of Marriage

The median duration of those marriages which terminated in 1984 was 8.9 years, a longer median duration than the median duration of 8.2 in both 1983 and 1982.

TABLE 1-POPULATION ESTIMATES BY AGE AND SEX: CONNECTICUT
As of July 1, 1984

AGE GROUP	MALE	FEMALE	TOTAL
TOTAL	1,528,650	1,641,020	3,169,670
*Under 1 yr.	21,326	19,730	41,056
0- 4	101,480	96,510	197,990
5- 9	95,200	91,430	186,630
10-14	112,430	107,650	220,080
15-19	133,650	128,860	262,510
20-24	141,590	139,920	281,510
25-29	132,520	134,660	267,180
30-34	122,710	125,360	248,070
35-39	113,350	121,080	234,430
40-44	94,890	100,970	195,860
45-49	77,620	82,820	160,440
50-54	77,770	83,780	161,550
55-59	83,110	90,640	173,750
60-64	78,440	88,440	166,880
65-69	63,870	77,170	141,040
70-74	44,840	61,840	106,680
75-79	28,330	46,530	74,860
80-84	15,520	32,180	47,700
85 & over	11,330	31,180	42,510
65+	163,890	248,900	412,790
Median age	31.9	35.6	33.4

*Births of the preceding calendar year.

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1984

	Population estimated as of July 1, 1984	Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
		Live Births	Fetal Deaths	Deaths	Marriages	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
CONNECTICUT	3,169,670	42,065	322	28,036	27,236	42,184	6,010	8,930	3,525	313	64	27,766	1,661	23,795	24,853	13.3	8.8	15.3
HSA I, Southwestern	635,220	8,837	74	5,458	5,592	8,167	1,784	2,079	1,077	70	20	5,714	534	4,472	4,857	12.9	9.0	14.7
Bridgeport	143,100	4,524	39	2,351	1,132	2,743	932	1,236	631	27	10	1,582	275	1,236	1,239	19.2	11.1	17.3
Darien	18,910	-	-	61	201	209	5	17	3	2	-	138	-	83	118	11.1	7.3	10.6
Easton	6,150	1	-	5	49	59	2	2	-	-	-	37	-	29	46	9.6	6.0	12.2
Fairfield	55,350	2	-	297	477	520	15	39	1	4	-	554	2	315	371	9.4	10.0	12.4
Greenwich	60,010	927	6	530	604	493	20	23	6	3	-	575	11	316	397	8.2	9.6	11.9
Monroe	15,040	-	-	15	70	184	7	8	1	4	-	66	1	94	104	12.2	4.4	13.2
New Canaan	18,430	-	-	71	214	151	3	7	-	-	-	131	2	66	131	8.2	7.1	10.7
Norwalk	79,100	1,596	15	859	712	1,143	274	273	166	10	3	641	74	730	749	14.5	8.1	18.7
Stamford	104,030	1,782	14	890	959	1,452	431	346	227	15	7	870	141	845	904	14.0	8.4	16.8
Stratford	50,770	2	-	136	424	521	75	86	40	2	-	546	20	343	354	10.3	10.8	13.7
Trumbull	33,450	2	-	108	270	275	7	19	1	1	-	228	2	143	179	8.2	6.8	9.6
Weston	8,630	-	-	14	86	86	3	4	1	1	-	50	1	32	39	10.0	5.8	8.6
Westport	26,070	-	-	90	275	204	5	12	-	1	-	193	3	163	160	7.8	7.4	12.4
Wilton	16,180	1	-	31	119	127	5	7	-	-	-	103	2	77	66	7.9	6.4	8.8
HSA II, South Central	605,830	8,593	65	6,288	4,977	8,188	1,425	1,931	913	45	9	5,658	428	4,631	4,777	13.5	9.3	15.5
Ansonia	19,050	1	-	28	150	259	28	51	15	5	1	227	12	130	131	13.6	11.9	13.7
Bethany	4,430	1	-	5	27	56	1	5	1	-	-	35	1	24	38	12.6	7.9	14.0
Branford	24,440	1	-	779	224	264	8	32	1	-	-	189	3	226	230	10.8	7.7	18.7
Derby	12,300	574	5	442	130	147	1	26	1	1	-	143	-	100	107	12.0	11.6	16.8
East Haven	25,160	-	-	30	210	280	4	40	-	2	-	211	1	219	234	11.1	8.4	18.0
Guilford	18,400	2	-	60	166	230	4	14	-	2	-	102	2	131	134	12.5	5.5	14.4
Hamden	51,200	1	-	242	401	591	66	70	28	5	-	556	15	337	343	11.5	10.9	13.3
Madison	14,450	2	-	47	112	135	1	8	-	1	-	117	-	88	102	9.3	8.1	13.2
Meriden	58,490	1,003	1	674	487	906	49	199	34	3	-	525	8	492	507	15.5	9.0	17.1
Milford	51,430	532	2	381	476	662	15	65	3	2	-	440	8	428	427	12.9	8.6	16.6
New Haven	126,290	6,473	57	2,648	1,104	2,204	1,086	1,157	780	11	6	1,390	336	984	967	17.5	11.0	15.5
North Branford	11,990	1	-	6	86	124	1	9	1	1	-	63	1	81	92	10.3	5.3	14.4
North Haven	22,180	-	-	45	162	206	8	18	4	2	1	186	5	134	165	9.3	8.4	13.5

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1984

	Population estimated as of July 1, 1984	Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
		Live Births	Fetal Deaths	Deaths	Marriages	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA II, South Central Cont'd.																		
Orange	13,280	-	-	24	124	107	1	6	-	-	-	116	-	57	84	8.1	8.7	10.6
Oxford	6,880	-	-	6	46	100	1	3	-	1	-	28	-	42	46	14.5	4.1	12.8
Seymour	13,590	-	-	20	95	155	-	19	-	1	-	112	2	121	115	11.4	8.2	17.4
Shelton	33,010	1	-	145	191	409	15	39	4	4	-	242	1	211	228	12.4	7.3	13.6
Wallingford	37,860	1	-	226	364	498	9	40	2	1	-	381	3	331	332	13.2	10.1	17.5
West Haven	53,510	-	-	472	329	794	123	124	39	3	1	546	30	462	452	14.8	10.2	17.1
Woodbridge	7,890	-	-	8	93	61	4	6	-	-	-	49	-	33	43	7.7	6.2	9.6
HSA III, Eastern	510,770	5,546	39	3,840	4,747	7,225	496	1,043	191	66	8	4,114	82	4,142	4,218	14.1	8.1	16.4
Ashford	3,300	1	-	1	42	52	-	6	-	-	-	21	-	39	39	15.8	6.4	23.6
Bozrah	2,190	-	-	2	17	20	-	2	-	-	-	10	-	18	16	9.1	4.6	15.5
Brooklyn	6,020	1	-	25	34	69	1	8	1	2	-	52	-	28	38	11.5	8.6	11.0
Canterbury	3,610	-	-	8	20	52	-	6	-	-	-	28	-	34	35	14.4	7.8	19.1
Chaplin	1,860	1	-	6	10	22	-	1	-	-	-	12	-	11	13	11.8	6.5	12.9
Chester	3,120	1	-	36	44	45	1	6	-	-	-	32	-	25	33	14.4	10.3	18.6
Clinton	11,730	1	-	30	78	193	3	17	1	2	-	101	-	95	101	16.5	8.6	16.7
Colchester	8,180	2	-	42	79	139	7	10	1	1	-	71	1	82	81	17.0	8.7	19.9
Columbia	3,570	1	-	6	45	43	1	1	-	-	-	23	-	21	27	12.0	6.4	13.5
Coventry	9,120	1	-	15	59	147	-	10	-	3	-	54	-	63	51	16.1	5.9	12.5
Cromwell	10,760	1	-	52	70	140	7	7	1	1	-	100	3	93	90	13.0	9.3	17.0
Deep River	4,040	1	-	7	38	54	-	2	-	1	-	30	-	34	34	13.4	7.4	16.8
Durham	5,260	2	-	5	44	67	1	5	-	1	-	19	-	26	29	12.7	3.6	10.5
Eastford	1,040	-	-	1	5	10	-	-	-	-	-	7	-	6	5	9.6	6.7	10.6
East Haddam	5,970	-	-	7	62	93	1	5	-	-	-	44	-	48	47	15.6	7.4	15.9
East Hampton	8,880	2	-	30	56	158	2	13	1	2	-	50	-	73	70	17.8	5.6	16.1
East Lyme	14,370	-	-	24	140	164	3	12	-	1	-	113	-	88	122	11.4	7.9	14.6
Essex	5,170	-	-	39	63	44	-	3	-	-	-	55	-	34	39	8.5	10.6	14.1
Franklin	1,680	-	-	-	8	20	-	5	-	-	-	10	-	11	13	11.9	6.0	14.3
Griswold	9,360	-	-	39	83	170	2	29	1	1	-	92	-	82	83	18.2	9.8	17.6
Groton	42,770	949	6	182	432	793	86	92	20	7	1	289	16	414	379	18.5	6.8	18.5
Haddam	6,570	1	-	15	45	59	1	6	1	2	-	42	-	55	56	9.0	6.4	16.9

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1984

	Population estimated as of July 1,	Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
		Live Births	Fetal Deaths	Deaths	Marriages	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA III, Eastern Cont'd.																		
Hampton	1,410	-	-	3	12	25	1	1	-	1	-	8	-	14	14	17.7	5.7	19.9
Killingly	14,960	2	-	115	178	216	5	41	2	2	1	143	1	126	121	14.4	9.6	16.5
Killingworth	4,150	-	-	4	39	54	-	1	-	1	-	30	-	35	27	13.0	7.2	14.9
Lebanon	5,010	-	-	5	44	69	-	5	-	-	-	34	-	39	39	13.8	6.8	15.6
Ledyard	14,340	-	-	11	81	229	9	15	1	-	-	56	2	98	130	16.0	3.9	15.9
Lisbon	3,410	-	-	10	13	29	2	3	1	-	-	33	-	30	34	8.5	9.7	18.8
Lyme	1,880	-	-	1	24	22	-	5	-	-	-	13	-	15	16	11.7	6.9	16.5
Mansfield	20,770	-	-	25	95	102	14	13	-	1	-	81	2	80	79	4.9	3.9	7.7
Middlefield	3,860	-	-	2	30	50	-	1	-	-	-	27	-	31	29	13.0	7.0	15.5
Middletown	38,970	978	7	729	343	523	103	89	46	5	1	339	12	354	335	13.4	8.7	17.7
Montville	16,770	1	-	13	123	255	9	27	5	4	-	91	1	165	161	15.2	5.4	19.4
New London	29,020	1,356	9	646	462	518	141	141	69	3	2	307	28	269	274	17.9	10.6	19.4
North Stonington	4,300	2	-	7	48	61	2	10	1	-	-	15	-	27	36	14.2	3.5	14.7
Norwich	38,520	1,108	8	630	444	669	40	130	19	5	1	386	6	374	379	17.4	10.0	19.6
Old Lyme	6,350	-	-	17	95	62	1	7	-	2	-	59	-	49	46	9.8	9.3	15.0
Old Saybrook	9,620	-	-	100	109	118	3	19	1	3	-	104	1	72	80	12.3	10.8	15.8
Plainfield	13,050	3	-	42	86	188	3	35	-	1	1	86	-	100	101	14.4	6.6	15.4
Pomfret	2,840	-	-	7	49	26	1	4	-	-	-	17	-	26	23	9.2	6.0	17.3
Portland	8,470	-	-	47	117	83	5	13	2	-	-	85	2	69	66	9.8	10.0	15.9
Preston	4,710	-	-	16	45	34	1	6	-	-	-	25	-	22	28	7.2	5.3	10.6
Putnam	8,820	686	4	278	67	121	2	21	1	1	-	109	-	73	75	13.7	12.4	16.8
Salem	2,550	1	-	6	15	41	-	3	-	2	-	11	-	17	22	16.1	4.3	15.3
Scotland	1,120	1	-	2	21	12	-	3	-	-	-	9	-	6	8	10.7	8.0	12.5
Sprague	3,080	-	-	4	15	62	-	7	-	1	-	26	-	34	39	20.1	8.4	23.7
Sterling	1,830	-	-	7	20	22	-	4	-	-	-	21	-	16	19	12.0	11.5	19.1
Stonington	17,090	1	-	46	215	183	2	17	1	1	-	139	2	85	92	10.7	8.1	10.4
Thompson	8,320	1	-	17	82	129	-	23	-	2	-	66	-	47	53	15.5	7.9	12.0
Union	540	-	-	1	2	7	-	2	-	-	-	5	-	2	3	13.0	9.3	9.3
Voluntown	1,700	-	-	1	-	31	-	-	-	-	-	17	-	11	11	18.2	10.0	12.9

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1984

	Population estimated as of July 1, 1984	Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
		Live Births	Fetal Deaths	Deaths	Marriages	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA III, Eastern Cont'd.																		
Waterford	18,270	3	-	140	112	188	7	23	1	-	-	182	2	130	146	10.3	10.0	15.1
Westbrook	5,280	1	-	10	56	61	6	9	1	2	-	63	1	43	38	11.6	11.9	15.3
Willington	4,840	1	-	5	23	54	2	9	-	2	-	17	-	61	59	11.2	3.5	24.8
Windham	21,090	436	5	314	171	356	21	102	13	3	1	220	2	191	200	16.9	10.4	18.5
Woodstock	5,260	-	-	7	37	71	-	8	-	-	-	35	-	31	34	13.5	6.7	12.4
HSA IV, North Central	911,610	13,275	116	8,078	7,708	12,193	1,812	2,876	1,077	96	22	7,843	468	6,918	7,231	13.4	8.6	15.5
Andover	2,290	2	-	2	6	37	-	-	-	-	-	14	-	21	22	16.2	6.1	18.8
Avon	12,000	-	-	74	112	132	3	13	-	2	-	72	-	94	84	11.0	6.0	14.8
Berlin	15,460	-	-	48	91	170	-	7	-	1	-	137	-	74	75	11.0	8.9	9.6
Bloomfield	19,450	-	-	105	164	190	78	49	35	1	1	164	22	141	121	9.8	8.4	13.5
Bolton	4,110	-	-	2	29	55	-	3	-	2	-	24	-	28	27	13.4	5.8	13.4
Bristol	58,480	766	5	447	534	780	33	120	17	8	-	479	9	540	561	13.3	8.2	18.8
Burlington	6,100	-	-	10	58	84	-	5	-	-	-	31	1	29	37	13.8	5.1	10.8
Canton	7,820	-	-	12	48	113	3	8	-	1	-	64	1	58	65	14.5	8.2	15.7
East Granby	4,200	-	-	6	14	58	3	1	1	2	-	23	1	34	31	13.8	5.5	15.5
East Hartford	52,430	-	1	200	290	610	72	113	24	11	2	494	14	428	405	11.6	9.4	15.9
East Windsor	9,030	-	-	34	125	138	5	16	2	-	-	75	3	82	77	15.3	8.3	17.6
Ellington	10,100	-	-	10	70	114	-	12	-	-	-	61	1	112	89	11.3	6.0	19.9
Enfield	42,880	1	-	154	417	525	10	68	5	1	-	300	1	301	357	12.2	7.0	15.4
Farmington	17,190	668	20	327	185	176	5	10	-	-	-	138	-	108	119	10.2	8.0	13.2
Glastonbury	25,810	1	1	58	231	253	16	21	1	1	1	174	3	170	200	10.0	6.7	14.3
Granby	8,310	1	-	7	52	119	2	10	-	1	-	34	-	51	51	14.3	4.1	12.3
Hartford	135,390	7,874	58	3,124	1,288	2,776	1,250	1,655	871	15	10	1,339	348	1,126	1,128	20.5	9.9	16.7
Hartland	1,480	-	-	1	12	24	-	1	-	-	-	6	-	10	9	16.2	4.1	12.8
Hebron	6,020	3	-	6	28	119	1	5	1	2	-	26	-	35	38	19.8	4.3	12.1
Manchester	50,040	1,296	13	586	510	670	26	84	7	9	1	450	9	409	446	13.4	9.0	17.1
Marlborough	4,970	-	-	3	23	78	-	4	-	2	-	24	1	34	31	15.7	4.8	13.1
New Britain	73,690	2,034	16	915	598	1,042	110	285	59	8	2	777	25	651	645	14.1	10.5	17.6
Newington	29,170	-	-	277	189	259	13	20	3	4	-	237	-	193	231	8.9	8.1	14.5

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1984

	Population estimated as of July 1, 1984	Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
		Live Births	Fetal Deaths	Deaths	Marriages	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA IV, North Central Cont'd.																		
Plainville	16,820	-	-	66	147	216	9	27	5	-	-	137	2	143	147	12.8	8.2	17.2
Plymouth	10,900	-	-	26	62	151	2	18	-	2	1	89	-	79	80	13.9	8.2	14.6
Rocky Hill	15,130	1	-	196	121	195	7	10	1	1	-	119	-	153	150	12.9	7.9	20.0
Simsbury	22,320	1	-	64	161	248	7	14	1	2	1	119	1	110	131	11.1	5.3	10.8
Somers	8,920	-	-	10	78	98	2	14	1	1	1	47	-	36	47	11.0	5.3	9.3
Southington	37,660	-	-	179	345	438	5	32	-	4	-	259	-	263	296	11.6	6.9	14.8
South Windsor	19,020	-	-	56	181	223	16	21	5	3	-	101	2	147	169	11.7	5.3	16.6
Stafford	9,790	1	-	112	84	160	3	18	-	1	-	70	-	89	81	16.3	7.2	17.4
Suffield	9,880	1	-	28	104	108	2	5	-	-	-	97	2	65	75	10.9	9.8	14.2
Tolland	10,120	-	-	13	85	143	3	11	1	2	-	46	-	57	59	14.1	4.6	11.5
Vernon	28,810	624	2	293	236	449	21	71	9	2	-	240	1	266	286	15.6	8.3	19.2
West Hartford	60,890	-	-	315	520	545	36	49	7	2	1	726	5	335	379	9.0	11.9	11.7
Wethersfield	26,700	-	-	84	193	202	5	18	2	4	-	288	1	168	186	7.8	10.8	13.3
Windsor	26,020	1	-	181	218	345	61	38	18	1	1	257	15	179	191	13.3	9.9	14.2
Windsor Locks	12,210	-	-	47	99	145	3	20	1	-	-	105	-	99	105	11.9	8.6	16.7
HSA V, Northwestern	506,240	5,814	28	4,372	4,212	6,411	493	1,001	267	36	5	4,437	149	3,632	3,770	12.7	8.8	14.6
Barkhamsted	3,010	-	-	3	29	34	-	1	-	-	-	13	-	19	27	11.3	4.3	15.3
Beacon Falls	4,150	-	-	4	29	63	-	13	-	1	-	29	-	33	36	15.2	7.0	16.6
Bethel	16,540	1	-	10	100	210	8	15	2	1	-	84	3	124	123	12.7	5.1	14.9
Bethlehem	2,680	1	-	8	16	40	1	1	-	-	-	23	1	8	12	17.9	8.6	7.5
Bridgewater	1,540	-	-	5	10	10	-	-	-	-	-	17	-	9	8	6.5	11.0	11.0
Brookfield	13,660	-	-	15	124	153	4	10	1	-	-	83	1	92	114	11.2	6.1	15.1
Canaan	1,030	1	-	3	10	27	-	2	-	1	-	18	1	12	12	26.2	17.5	23.3
Cheshire	22,850	1	-	135	152	242	6	10	1	-	-	204	3	129	144	10.6	8.9	12.0
Colebrook	1,250	-	-	3	5	8	-	-	-	-	-	6	-	2	2	6.4	4.8	3.2
Cornwall	1,330	-	-	2	22	16	-	2	-	-	-	14	-	9	12	12.0	10.5	15.8
Danbury	63,140	1,848	5	875	527	886	106	140	45	3	1	489	19	532	508	14.0	7.7	16.5
Goshen	1,910	-	-	3	15	26	-	1	-	1	-	12	-	12	5	13.6	6.3	8.9
Harwinton	5,040	-	-	3	32	49	-	3	-	-	-	35	-	15	32	9.7	6.9	9.3

TABLE 2: ESTIMATED POPULATIONS AND VITAL STATISTICS OF CONNECTICUT, 1984

	Population Estimated as of July 1,	Place of Occurrence				Place of Residence												
						Live Births				Fetal Deaths		Total Deaths		Marriages		RESIDENT RATES PER 1,000 POPULATION		
						Total		Out-of-Wedlock										
		Live Births	Fetal Deaths	Deaths	Marriages	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	All Races	Nonwhite	Groom	Bride	Live Births	Deaths	Persons Marrying
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
HSA V, Northwestern Cont'd.																		
Kent	2,600	-	-	11	26	21	-	-	-	-	-	24	-	15	18	8.1	9.2	12.7
Litchfield	7,900	1	-	38	82	78	2	8	-	1	-	87	-	63	54	9.9	11.0	14.8
Middlebury	6,110	-	-	32	41	59	-	3	-	-	-	54	-	26	30	9.7	8.8	9.2
Morris	1,920	-	-	4	8	12	1	1	-	-	-	14	-	12	17	6.3	7.3	15.1
Naugatuck	27,660	1	-	43	187	408	5	41	-	2	-	204	1	228	234	14.8	7.4	16.7
New Fairfield	11,750	2	-	7	83	134	3	7	1	-	-	69	-	47	69	11.4	5.9	9.9
New Hartford	5,040	1	-	8	54	69	2	4	1	-	-	36	-	56	54	13.7	7.1	21.8
New Milford	20,180	343	1	205	172	274	9	28	2	2	-	142	-	196	182	13.6	7.0	18.7
Newtown	19,740	1	-	76	168	241	7	10	1	1	-	143	1	123	132	12.2	7.2	12.9
Norfolk	2,200	-	-	3	29	28	-	1	-	-	-	21	1	14	14	12.7	9.6	12.7
North Canaan	3,270	1	-	47	27	27	1	5	1	-	-	30	-	28	25	8.3	9.2	16.2
Prospect	6,910	-	-	33	66	53	-	3	-	-	-	56	7	46	50	7.7	8.1	13.9
Redding	7,490	2	-	8	99	83	-	4	-	1	-	43	1	37	46	11.1	5.7	11.1
Ridgefield	20,930	-	-	26	247	203	10	9	-	-	-	96	-	110	126	9.7	4.6	11.3
Roxbury	1,570	-	-	3	20	17	-	3	-	-	-	12	-	12	14	10.8	7.6	16.6
Salisbury	3,980	-	-	29	50	35	-	3	-	-	-	51	-	23	19	8.8	12.8	10.6
Sharon	2,670	386	4	165	30	36	1	3	-	-	-	28	1	14	17	13.5	10.5	11.6
Sherman	2,400	-	-	7	20	21	-	-	-	-	-	21	-	12	13	8.8	8.8	10.4
Southbury	14,280	1	-	99	81	114	-	12	-	-	-	181	-	64	67	8.0	12.7	9.2
Thomaston	6,330	-	-	24	61	82	-	8	-	-	-	59	-	45	54	13.0	10.9	15.6
Torrington	31,970	674	2	454	227	413	11	56	3	3	-	357	3	224	234	12.9	11.2	14.3
Warren	1,080	-	-	1	27	5	-	-	-	-	-	10	-	7	6	4.6	9.3	12.0
Washington	3,740	-	-	5	68	48	-	4	-	1	-	33	-	30	33	12.8	8.8	16.8
Waterbury	105,010	2,548	16	1,732	817	1,633	308	534	207	16	4	1,209	100	825	837	15.6	11.5	15.8
Watertown	19,860	-	-	78	163	211	1	15	-	1	-	151	3	123	125	10.6	7.6	12.5
Winchester	10,870	-	-	111	119	123	4	26	1	-	-	110	-	102	110	11.3	10.1	19.5
Wolcott	13,450	1	-	37	108	127	2	7	1	-	-	100	3	85	104	9.4	7.4	14.1
Woodbury	7,200	-	-	17	61	84	1	8	-	1	-	59	-	69	51	11.7	8.2	16.7
Out-of-State		1,087		924		968				9	-	1,194		3,441	2,383			

TABLE 3: LIVE BIRTHS TO CONNECTICUT RESIDENTS, 1984

	ALL RACES											NONWHITE									
	TOTAL	AGE OF MOTHER										TOTAL	AGE OF MOTHER								
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	UN-KNOWN		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50 AND OVER	UN-KNOWN
TOTAL	42,184	69	3,887	10,507	14,689	9,878	2,812	322	11	1	8	6,010	31	1,221	2,002	1,552	869	288	41	4	1	1
MALE	21,731	33	2,015	5,357	7,656	5,078	1,426	155	6	1	4	3,136	18	632	1,043	800	469	151	19	2	1	1
FEMALE	20,452	36	1,872	5,149	7,033	4,800	1,386	167	5	-	4	2,874	13	589	959	752	400	137	22	2	-	-
UNKNOWN	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PLACE OF DELIVERY																						
HOSPITAL	42,025	68	3,866	10,477	14,635	9,833	2,804	322	11	1	8	5,973	31	1,211	1,988	1,545	866	285	41	4	1	1
OTHER	155	1	21	30	51	44	8	-	-	-	-	37	-	10	14	7	3	3	-	-	-	-
UNKNOWN	4	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MARITAL STATUS																						
MOTHER MARRIED	33,254	3	1,175	7,273	12,955	8,981	2,560	287	11	1	8	2,485	-	120	650	868	609	202	30	4	1	1
MOTHER UNMARRIED	8,930	66	2,712	3,234	1,734	897	252	35	-	-	-	3,525	31	1,101	1,352	684	260	86	11	-	-	-
PERIOD OF GESTATION																						
UNDER 20 WEEKS	23	-	2	9	7	5	-	-	-	-	-	10	-	2	4	3	1	-	-	-	-	-
20-27 WEEKS	206	-	33	58	55	48	11	1	-	-	-	68	-	19	20	18	10	1	-	-	-	-
28-31 WEEKS	233	2	40	67	62	41	19	2	-	-	-	83	-	18	28	17	13	6	1	-	-	-
32-35 WEEKS	838	4	116	226	253	186	47	6	-	-	-	202	3	42	77	43	28	7	2	-	-	-
36 WEEKS	827	3	112	240	261	167	40	4	-	-	-	209	2	50	75	52	22	8	-	-	-	-
37-39 WEEKS	11,069	25	989	2,658	3,774	2,740	784	93	2	1	3	1,875	9	382	619	472	280	96	15	1	1	-
40 WEEKS OR OVER	24,426	28	2,176	6,151	8,666	5,635	1,578	181	8	-	3	3,064	14	603	1,024	807	452	142	19	3	-	-
NOT STATED	4,562	7	419	1,098	1,611	1,056	333	35	1	-	2	499	3	105	155	140	63	28	4	-	-	1
WEIGHT AT BIRTH																						
1000 GRAMS OR LESS	293	3	44	80	87	62	15	2	-	-	-	102	1	26	26	30	14	4	1	-	-	-
1001-1500 GRAMS	230	-	38	60	68	40	22	2	-	-	-	71	-	15	23	17	10	5	1	-	-	-
1501-2000 GRAMS	507	1	68	158	150	98	30	2	-	-	-	132	1	25	56	31	13	6	-	-	-	-
2001-2500 GRAMS	1,737	5	246	474	529	348	121	13	1	-	-	425	2	103	142	109	44	22	3	-	-	-
2501-3000 GRAMS	6,464	22	866	1,799	2,143	1,264	324	42	2	-	2	1,368	8	338	447	336	179	53	5	2	-	-
3001-3500 GRAMS	15,453	26	1,496	4,029	5,334	3,555	901	104	2	1	5	2,291	12	468	801	555	336	103	13	1	1	1
3501-4000 GRAMS	12,654	10	874	2,939	4,636	3,169	914	107	4	-	1	1,284	6	208	405	363	217	71	14	-	-	-
4001-4500 GRAMS	3,867	1	222	793	1,406	1,053	354	36	2	-	-	276	-	33	88	88	44	19	3	1	-	-
4501 GRAMS AND OVER	804	1	27	156	298	224	88	10	-	-	-	56	1	5	11	22	12	4	1	-	-	-
UNKNOWN	175	-	6	19	38	65	43	4	-	-	-	5	-	-	3	1	-	1	-	-	-	-
PLURAL BIRTHS																						
SINGLE	41,333	65	3,850	10,310	14,401	9,652	2,715	320	11	1	8	5,884	31	1,209	1,947	1,521	849	280	41	4	1	1
TWINS	833	4	37	194	288	211	97	2	-	-	-	126	-	12	55	31	20	8	-	-	-	-
TRIPLETS	14	-	-	3	-	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
QUADRUPLETS	4	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

- NO BIRTHS REPORTED

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1984

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5 5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
CONNECTICUT																
ALL RACES	42,184	2,767	175	69	195	411	777	1,111	1,393	10,507	14,689	9,878	2,812	322	12	8
NONWHITE	6,010	730	5	31	95	184	238	330	374	2,002	1,552	869	288	41	5	1
HSA 1 SOUTHWESTERN																
ALL RACES	8,167	560	124	20	62	113	161	226	280	1,850	2,577	2,043	734	97	3	1
NONWHITE	1,784	203	-	8	35	64	62	99	118	606	428	260	88	14	1	1
BRIDGEPORT																
ALL RACES	2,743	259	6	14	41	82	107	148	167	947	781	325	116	14	1	-
NONWHITE	932	120	-	5	21	50	30	73	67	336	215	99	32	4	-	-
DARIEN																
ALL RACES	209	7	13	-	-	-	1	-	1	16	64	88	34	5	-	-
NONWHITE	5	-	-	-	-	-	1	-	-	-	2	2	-	-	-	-
EASTON																
ALL RACES	59	4	-	-	-	-	-	1	-	7	17	20	11	3	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
FAIRFIELD																
ALL RACES	520	32	2	-	2	2	2	3	4	67	176	202	58	4	-	-
NONWHITE	15	-	-	-	-	-	-	-	1	-	4	6	3	1	-	-
GREENWICH																
ALL RACES	493	16	39	-	-	-	1	1	4	52	157	183	85	9	1	-
NONWHITE	20	-	-	-	-	-	1	-	1	7	2	5	4	-	-	-
MONROE																
ALL RACES	184	7	1	-	-	-	1	2	2	16	68	75	17	3	-	-
NONWHITE	7	1	-	-	-	-	-	-	-	1	-	6	-	-	-	-
NEW CANAAN																
ALL RACES	151	8	8	-	-	-	-	1	1	13	41	56	31	8	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-
NORWALK																
ALL RACES	1,143	78	11	2	7	8	19	27	35	284	387	297	70	7	-	-
NONWHITE	274	28	-	1	6	4	11	9	15	104	63	45	14	2	-	-
STAMFORD																
ALL RACES	1,452	92	23	4	7	14	24	28	47	301	480	381	144	20	1	1
NONWHITE	431	45	-	2	5	7	16	13	32	141	118	68	22	5	1	1
STRATFORD																
ALL RACES	521	30	3	-	5	6	5	10	11	97	208	141	33	5	-	-
NONWHITE	75	9	-	-	3	3	3	4	2	15	20	20	4	1	-	-
TRUMBULL																
ALL RACES	275	10	-	-	-	-	-	3	6	25	97	109	32	3	-	-
NONWHITE	7	-	-	-	-	-	-	-	-	2	2	2	1	-	-	-
WESTON																
ALL RACES	86	6	4	-	-	-	-	-	-	7	15	39	21	4	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1984-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
WESTPORT																
ALL RACES	204	6	10	-	-	1	1	1	1	14	56	76	45	9	-	-
NONWHITE	5	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-
WILTON																
ALL RACES	127	5	4	-	-	-	-	1	1	4	30	51	37	3	-	-
NONWHITE	5	-	-	-	-	-	-	-	-	-	-	2	3	-	-	-
HSA 2 SOUTH CENTRAL																
ALL RACES	8,188	570	14	11	37	88	158	199	266	1,987	2,963	1,894	515	69	1	-
NONWHITE	1,425	181	2	6	20	52	72	80	80	495	358	186	62	13	1	-
ANSONIA																
ALL RACES	259	20	1	-	1	1	3	7	7	73	114	46	5	2	-	-
NONWHITE	28	6	-	-	-	1	1	1	-	13	7	1	2	2	-	-
BETHANY																
ALL RACES	56	-	-	-	-	1	-	-	-	6	17	25	7	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
BRANFORD																
ALL RACES	264	12	-	-	-	-	-	3	6	42	113	83	16	1	-	-
NONWHITE	8	-	-	-	-	-	-	-	1	1	4	1	-	1	-	-
DERBY																
ALL RACES	147	9	-	-	1	-	1	2	9	44	63	25	1	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
EAST HAVEN																
ALL RACES	280	17	-	-	-	3	3	9	5	68	120	56	15	1	-	-
NONWHITE	4	1	-	-	-	-	-	-	-	-	1	1	2	-	-	-
GUILFORD																
ALL RACES	230	16	-	-	1	-	-	1	2	19	69	107	26	5	-	-
NONWHITE	4	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-
HAMDEN																
ALL RACES	591	26	3	1	1	5	7	6	9	80	224	197	53	8	-	-
NONWHITE	66	6	-	1	1	2	1	-	1	17	18	18	5	2	-	-
MADISON																
ALL RACES	135	6	-	-	-	-	1	-	3	15	42	48	21	5	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
MERIDEN																
ALL RACES	906	61	2	-	3	12	17	34	36	286	306	178	32	2	-	-
NONWHITE	49	5	-	-	-	4	1	5	3	24	6	5	1	-	-	-
MILFORD																
ALL RACES	662	38	2	-	-	3	7	9	14	135	275	173	39	7	-	-
NONWHITE	15	1	-	-	-	-	-	-	1	4	2	7	1	-	-	-
NEW HAVEN																
ALL RACES	2,204	221	2	10	29	55	94	95	112	716	647	325	99	21	1	-
NONWHITE	1,086	146	2	5	19	44	64	71	66	388	269	121	31	7	1	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1984-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
NORTH BRANFORD																
ALL RACES.....	124	10	2	-	-	-	-	1	1	17	56	32	16	1	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
NORTH HAVEN																
ALL RACES.....	206	9	-	-	-	-	1	1	2	30	78	72	20	2	-	-
NONWHITE.....	8	-	-	-	-	-	-	-	-	2	3	2	1	-	-	-
ORANGE																
ALL RACES.....	107	6	-	-	-	-	1	-	3	10	34	38	20	1	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
OXFORD																
ALL RACES.....	100	3	-	-	-	-	-	-	1	7	51	33	7	1	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
SEYMOUR																
ALL RACES.....	155	7	-	-	-	-	3	2	4	38	64	34	10	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SHELTON																
ALL RACES.....	409	25	1	-	-	1	1	5	9	74	179	100	37	3	-	-
NONWHITE.....	15	1	-	-	-	-	-	-	1	3	5	3	3	-	-	-
WALLINGFORD																
ALL RACES.....	498	29	1	-	-	3	7	6	17	104	188	135	36	2	-	-
NONWHITE.....	9	1	-	-	-	-	-	-	1	4	3	1	-	-	-	-
WEST HAVEN																
ALL RACES.....	794	54	-	-	1	4	12	17	26	222	310	155	44	3	-	-
NONWHITE.....	123	14	-	-	-	1	5	3	5	36	39	24	9	1	-	-
WOODBRIDGE																
ALL RACES.....	61	1	-	-	-	-	-	1	-	1	13	32	11	3	-	-
NONWHITE.....	4	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-
HSA 3 EASTERN																
ALL RACES.....	7,225	400	6	6	19	42	123	218	218	2,153	2,539	1,489	368	48	1	1
NONWHITE.....	496	44	-	4	5	9	11	29	23	160	160	78	14	3	-	-
ASHFORD																
ALL RACES.....	52	3	-	-	-	-	2	3	-	9	20	13	5	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BOZRAH																
ALL RACES.....	20	-	-	-	-	-	1	-	-	6	5	8	-	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BROOKLYN																
ALL RACES.....	69	2	-	1	-	-	-	2	1	25	23	13	4	-	-	-
NONWHITE.....	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
CANTERBURY																
ALL RACES.....	52	3	-	-	-	-	1	1	3	12	15	12	8	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1984-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
CHAPLIN																
ALL RACES	22	2	-	-	-	-	1	-	-	7	8	4	2	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHESTER																
ALL RACES	45	3	-	-	2	-	-	1	1	10	19	8	4	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
CLINTON																
ALL RACES	193	13	-	-	1	-	1	3	6	40	71	55	13	3	-	-
NONWHITE	3	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-
COLCHESTER																
ALL RACES	139	4	-	-	-	-	3	1	2	37	60	28	6	2	-	-
NONWHITE	7	-	-	-	-	-	-	-	-	2	2	3	-	-	-	-
COLUMBIA																
ALL RACES	43	1	-	-	-	-	-	-	-	6	18	16	3	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
COVENTRY																
ALL RACES	147	11	-	-	-	-	4	2	3	31	55	41	8	3	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CROMWELL																
ALL RACES	140	8	-	-	-	-	1	2	2	13	48	56	17	1	-	-
NONWHITE	7	2	-	-	-	-	-	-	-	1	1	3	2	-	-	-
DEEP RIVER																
ALL RACES	54	2	-	-	-	-	2	-	-	10	23	14	3	2	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DURHAM																
ALL RACES	67	8	-	-	-	-	-	-	1	10	22	27	6	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
EASTFORD																
ALL RACES	10	-	-	-	-	-	-	1	-	1	5	1	2	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HADDAM																
ALL RACES	93	4	1	-	-	-	1	1	1	22	38	25	5	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
EAST HAMPTON																
ALL RACES	158	7	-	-	-	-	1	2	4	35	50	56	7	3	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
EAST LYME																
ALL RACES	164	1	-	-	-	-	2	1	1	36	61	52	9	2	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
ESSEX																
ALL RACES	44	3	-	-	-	-	-	1	1	8	18	10	5	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1984-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
FRANKLIN																
ALL RACES	20	-	-	-	1	-	-	1	-	5	7	5	1	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GRISWOLD																
ALL RACES	170	13	-	-	1	-	4	11	5	62	63	20	4	-	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
GROTON																
ALL RACES	793	41	1	1	1	4	9	21	32	297	294	103	28	3	-	-
NONWHITE	86	10	-	-	-	-	1	4	6	27	33	12	3	-	-	-
HADDAM																
ALL RACES	59	-	-	-	-	-	1	-	-	15	23	15	3	2	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
HAMPTON																
ALL RACES	25	1	-	-	-	-	-	-	1	5	12	5	1	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
KILLINGLY																
ALL RACES	216	11	-	1	-	1	6	16	9	78	59	32	12	2	-	-
NONWHITE	5	-	-	-	-	-	-	1	-	3	1	-	-	-	-	-
KILLINGWORTH																
ALL RACES	54	1	-	-	-	-	-	1	-	6	22	19	5	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LEBANON																
ALL RACES	69	3	-	-	-	-	-	-	1	19	21	22	5	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LEDYARD																
ALL RACES	229	13	-	-	-	1	2	3	1	47	101	57	13	4	-	-
NONWHITE	9	-	-	-	-	-	-	-	-	3	1	4	-	1	-	-
LISBON																
ALL RACES	29	1	-	-	-	-	1	-	1	9	14	4	-	-	-	-
NONWHITE	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
LYME																
ALL RACES	22	1	-	-	-	-	-	1	2	2	10	5	2	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MANSFIELD																
ALL RACES	102	4	-	-	-	-	1	2	2	26	32	26	13	-	-	-
NONWHITE	14	-	-	-	-	-	-	-	-	5	7	2	-	-	-	-
MIDDLEFIELD																
ALL RACES	50	2	-	-	-	-	-	1	-	9	24	11	5	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MIDDLETOWN																
ALL RACES	523	23	1	1	3	8	9	15	15	156	187	105	22	1	-	1
NONWHITE	103	8	-	1	3	5	3	8	8	25	31	17	2	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1984-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
MONTVILLE																
ALL RACES	255	15	-	-	-	1	5	6	8	78	100	46	10	1	-	-
NONWHITE	9	3	-	-	-	-	-	-	-	4	3	1	1	-	-	-
NEW LONDON																
ALL RACES	518	33	-	-	3	6	10	26	28	199	151	83	11	1	-	-
NONWHITE	141	14	-	-	1	1	5	10	6	52	41	22	2	1	-	-
N STONINGTON																
ALL RACES	61	3	1	-	-	1	-	-	1	15	22	19	2	1	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
NORWICH																
ALL RACES	669	39	-	1	2	7	11	27	31	273	204	85	26	2	-	-
NONWHITE	40	3	-	1	1	2	-	1	1	16	15	2	1	-	-	-
OLD LYME																
ALL RACES	62	3	-	-	-	-	-	4	1	13	20	14	9	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
OLD SAYBROOK																
ALL RACES	118	6	-	-	-	-	2	5	1	30	39	31	9	1	-	-
NONWHITE	3	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-
PLAINFIELD																
ALL RACES	188	13	-	-	1	4	7	12	7	77	45	27	5	2	1	-
NONWHITE	3	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-
POMFRET																
ALL RACES	26	3	-	-	-	-	-	1	-	8	9	5	3	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
PORTLAND																
ALL RACES	83	8	-	-	-	1	2	2	3	17	26	29	3	-	-	-
NONWHITE	5	1	-	-	-	1	-	-	1	2	1	-	-	-	-	-
PRESTON																
ALL RACES	34	2	-	-	-	-	1	3	-	8	14	7	-	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
PUTNAM																
ALL RACES	121	7	-	-	1	1	-	6	4	42	50	12	5	-	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
SALEM																
ALL RACES	41	3	-	-	-	-	-	1	1	6	14	13	6	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SCOTLAND																
ALL RACES	12	1	-	-	-	-	-	-	-	3	3	5	1	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SPRAGUE																
ALL RACES	62	2	-	-	-	1	-	1	4	21	18	13	4	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1984-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
STERLING																
ALL RACES	22	2	-	-	-	-	1	2	2	9	6	1	1	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
STONINGTON																
ALL RACES	183	10	-	-	1	-	3	4	6	60	51	49	7	2	-	-
NONWHITE	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
THOMPSON																
ALL RACES	129	10	-	-	-	3	5	3	3	35	50	23	7	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNION																
ALL RACES	7	1	-	-	-	-	-	-	-	-	4	2	1	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VOLUNTOWN																
ALL RACES	31	1	-	-	-	-	1	2	-	9	11	8	-	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WATERFORD																
ALL RACES	188	11	-	-	-	1	4	4	5	39	80	47	7	1	-	-
NONWHITE	7	1	-	-	-	-	-	1	-	2	3	1	-	-	-	-
WESTBROOK																
ALL RACES	61	3	1	-	-	-	4	2	-	16	17	17	4	1	-	-
NONWHITE	6	-	-	-	-	-	1	1	-	2	-	1	-	1	-	-
WILLINGTON																
ALL RACES	54	3	-	-	1	-	1	1	2	9	22	12	6	-	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
WINDHAM																
ALL RACES	356	24	1	1	1	2	12	12	14	119	124	57	13	1	-	-
NONWHITE	21	1	-	1	-	-	-	1	-	8	8	2	1	-	-	-
WOODSTOCK																
ALL RACES	71	8	-	-	-	-	1	1	2	13	31	16	7	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HSA 4 NORTH CENTRAL																
ALL RACES	12,193	857	11	25	59	124	253	324	433	2,990	4,312	2,848	752	66	5	2
NONWHITE	1,812	230	3	10	26	45	71	96	117	562	493	279	103	8	2	-
ANDOVER																
ALL RACES	37	1	-	-	-	-	-	-	-	9	15	5	8	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
AVON																
ALL RACES	132	8	-	-	-	-	-	-	1	12	42	57	19	1	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-
BERLIN																
ALL RACES	170	8	1	-	-	1	-	1	-	24	64	64	15	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1984-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
BLOOMFIELD																
ALL RACES	190	18	-	1	1	2	5	5	6	40	55	51	22	2	-	-
NONWHITE	78	13	-	1	1	2	4	5	5	20	13	16	10	1	-	-
BOLTON																
ALL RACES	55	2	-	-	-	-	-	-	-	10	23	17	4	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BRISTOL																
ALL RACES	780	53	-	-	-	7	14	23	25	214	309	160	24	3	1	-
NONWHITE	33	2	-	-	-	-	1	4	2	10	8	6	2	-	-	-
BURLINGTON																
ALL RACES	84	6	-	-	-	-	1	-	3	8	25	35	11	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CANTON																
ALL RACES	113	6	-	-	-	-	-	3	-	18	38	39	15	-	-	-
NONWHITE	3	1	-	-	-	-	-	-	-	1	2	-	-	-	-	-
EAST GRANBY																
ALL RACES	58	4	-	-	-	-	1	-	-	7	32	17	1	-	-	-
NONWHITE	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
EAST HARTFORD																
ALL RACES	610	38	-	1	1	8	7	8	18	172	231	129	33	2	-	-
NONWHITE	72	9	-	-	-	1	2	1	1	12	27	20	7	1	-	-
EAST WINDSOR																
ALL RACES	138	10	-	-	-	2	1	4	7	41	51	27	3	1	-	1
NONWHITE	5	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-
ELLINGTON																
ALL RACES	114	6	-	-	-	1	1	2	1	27	49	24	8	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ENFIELD																
ALL RACES	525	33	-	3	1	6	5	10	16	155	203	107	18	1	-	-
NONWHITE	10	-	-	-	-	-	-	-	1	4	4	-	1	-	-	-
FARMINGTON																
ALL RACES	176	9	-	-	-	-	-	3	-	21	70	66	15	-	-	1
NONWHITE	5	-	-	-	-	-	-	-	-	-	2	3	-	-	-	-
GLASTONBURY																
ALL RACES	258	11	1	-	-	-	1	4	1	29	83	107	30	3	-	-
NONWHITE	16	-	-	-	-	-	-	-	-	5	5	4	2	-	-	-
GRANBY																
ALL RACES	119	5	-	-	-	-	-	1	2	20	39	43	14	-	-	-
NONWHITE	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
HARTFORD																
ALL RACES	2,776	313	5	15	40	73	144	163	219	934	707	359	107	13	2	-
NONWHITE	1,250	168	3	8	22	34	56	75	101	426	317	146	57	6	2	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1984-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
HARTLAND																
ALL RACES.....	24	1	-	-	-	-	-	-	-	4	11	7	1	1	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HEBRON																
ALL RACES.....	119	3	-	-	-	1	-	-	1	16	54	39	8	-	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
MANCHESTER																
ALL RACES.....	670	32	-	1	-	1	6	11	18	152	277	167	35	1	1	-
NONWHITE.....	26	4	-	-	-	-	1	-	1	7	11	4	2	-	-	-
MARLBOROUGH																
ALL RACES.....	78	7	-	-	-	-	1	1	1	5	38	21	10	1	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW BRITAIN																
ALL RACES.....	1,042	88	3	3	11	12	27	44	45	327	364	158	51	-	-	-
NONWHITE.....	110	16	-	1	3	4	5	6	4	34	32	17	4	-	-	-
NEWINGTON																
ALL RACES.....	259	12	-	-	-	1	1	4	1	41	96	91	20	4	-	-
NONWHITE.....	13	-	-	-	-	1	-	1	-	-	5	5	1	-	-	-
PLAINVILLE																
ALL RACES.....	216	13	-	-	-	3	2	4	4	54	96	44	8	1	-	-
NONWHITE.....	9	1	-	-	-	2	-	-	-	2	4	1	-	-	-	-
PLYMOUTH																
ALL RACES.....	151	7	1	-	1	-	1	1	2	40	66	31	9	-	-	-
NONWHITE.....	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
ROCKY HILL																
ALL RACES.....	195	7	-	1	-	-	1	1	1	29	88	64	8	2	-	-
NONWHITE.....	7	1	-	-	-	-	-	-	-	1	3	2	1	-	-	-
SIMSBURY																
ALL RACES.....	248	6	-	-	-	-	1	-	-	17	101	90	36	3	-	-
NONWHITE.....	7	-	-	-	-	-	-	-	-	1	3	3	-	-	-	-
SOMERS																
ALL RACES.....	98	7	-	-	1	1	4	2	3	12	32	31	11	1	-	-
NONWHITE.....	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
SOUTHINGTON																
ALL RACES.....	438	23	-	-	-	1	-	3	10	111	149	119	42	3	-	-
NONWHITE.....	5	1	-	-	-	-	-	-	-	-	1	1	3	-	-	-
SOUTH WINDSOR																
ALL RACES.....	223	8	-	-	-	1	2	2	1	41	85	68	22	1	-	-
NONWHITE.....	16	-	-	-	-	-	-	-	-	5	4	3	4	-	-	-
STAFFORD																
ALL RACES.....	160	10	-	-	-	-	3	3	10	55	55	28	4	2	-	-
NONWHITE.....	3	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1984-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
SUFFIELD																
ALL RACES.....	108	7	-	-	-	-	2	-	2	19	49	23	11	2	-	-
NONWHITE.....	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
TOLLAND																
ALL RACES.....	143	6	-	-	-	-	1	2	1	22	59	48	8	2	-	-
NONWHITE.....	3	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-
VERNON																
ALL RACES.....	449	25	-	-	1	1	14	9	15	126	173	94	14	2	-	-
NONWHITE.....	21	4	-	-	-	-	1	-	-	9	8	3	-	-	-	-
WEST HARTFORD																
ALL RACES.....	545	22	-	-	-	-	2	3	7	50	203	218	59	3	-	-
NONWHITE.....	36	2	-	-	-	-	-	-	-	8	10	16	2	-	-	-
WETHERSFIELD																
ALL RACES.....	202	10	-	-	1	-	-	1	2	24	74	78	18	4	-	-
NONWHITE.....	5	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-
WINDSOR																
ALL RACES.....	345	22	-	-	-	1	5	4	7	60	143	95	27	3	-	-
NONWHITE.....	61	8	-	-	-	1	1	3	-	12	19	18	7	-	-	-
WINDSOR LOCKS																
ALL RACES.....	145	10	-	-	1	1	-	2	3	44	63	27	3	-	1	-
NONWHITE.....	3	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-
HSA 5 NORTHWESTERN																
ALL RACES.....	6,411	380	20	7	18	44	82	144	196	1,527	2,298	1,604	443	42	2	4
NONWHITE.....	493	72	-	3	9	14	22	26	36	179	113	66	21	3	1	-
BARKHAMSTED																
ALL RACES.....	34	1	-	-	-	-	-	-	1	4	13	14	2	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BEACON FALLS																
ALL RACES.....	63	-	-	-	-	-	2	1	1	14	29	13	3	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BETHEL																
ALL RACES.....	210	6	2	-	-	1	1	3	2	38	79	66	19	1	-	-
NONWHITE.....	8	2	-	-	-	-	-	1	1	2	1	2	1	-	-	-
BETHLEHEM																
ALL RACES.....	48	-	1	-	-	-	-	-	-	18	11	15	4	-	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
BRIDGEWATER																
ALL RACES.....	10	-	-	-	-	-	-	-	-	3	4	2	1	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BROOKFIELD																
ALL RACES.....	153	8	-	1	-	-	-	2	-	21	62	48	19	-	-	-
NONWHITE.....	4	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1984-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UNKNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UNKNOWN
CANAAN																
ALL RACES	27	1	-	-	-	-	-	-	-	4	8	11	4	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CHESHIRE																
ALL RACES	242	12	-	-	-	-	-	2	2	19	86	104	23	6	-	-
NONWHITE	6	1	-	-	-	-	-	-	-	2	1	3	-	-	-	-
COLEBROOK																
ALL RACES	8	-	-	-	-	-	-	-	-	-	2	4	2	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CORNWALL																
ALL RACES	16	1	-	-	-	-	-	-	-	3	9	3	-	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DANBURY																
ALL RACES	886	61	1	2	1	6	14	17	34	215	333	207	50	6	-	1
NONWHITE	106	12	-	2	1	2	4	4	6	39	26	14	6	2	-	-
GOSHEN																
ALL RACES	26	-	-	-	-	-	-	-	1	3	7	12	2	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HARWINTON																
ALL RACES	49	3	-	-	1	1	-	-	1	11	14	16	5	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
KENT																
ALL RACES	21	2	-	-	-	-	-	-	-	5	3	10	3	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LITCHFIELD																
ALL RACES	78	4	-	-	-	-	-	2	1	15	17	25	15	3	-	-
NONWHITE	2	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-
MIDDLEBURY																
ALL RACES	59	2	-	-	-	-	-	-	-	6	20	25	6	2	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MORRIS																
ALL RACES	12	-	-	-	-	-	-	-	-	-	3	7	1	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
NAUGATUCK																
ALL RACES	408	27	-	-	-	1	3	8	19	123	165	70	18	1	-	-
NONWHITE	5	-	-	-	-	-	-	-	-	3	-	2	-	-	-	-
NEW FAIRFIELD																
ALL RACES	134	4	2	-	-	-	1	-	2	16	41	60	11	3	-	-
NONWHITE	3	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-
NEW HARTFORD																
ALL RACES	69	3	-	-	-	-	-	2	1	14	21	24	7	-	-	-
NONWHITE	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1984-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
NEW MILFORD																
ALL RACES	274	16	-	-	-	1	2	8	13	63	103	67	14	-	1	2
NONWHITE	9	-	-	-	-	-	-	-	-	3	2	3	-	-	1	-
NEWTOWN																
ALL RACES	241	9	-	-	-	2	1	3	1	26	89	96	21	1	-	1
NONWHITE	7	-	-	-	-	1	-	-	-	4	-	2	-	-	-	-
NORFOLK																
ALL RACES	28	1	-	-	-	-	-	-	-	6	9	10	2	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CANAAN																
ALL RACES	27	1	1	-	-	-	1	1	2	10	6	7	-	-	-	-
NONWHITE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
PROSPECT																
ALL RACES	53	3	-	-	-	-	1	-	-	10	27	10	5	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REDDING																
ALL RACES	83	3	-	-	-	-	-	-	-	10	30	29	14	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RIDGEFIELD																
ALL RACES	203	11	7	-	-	-	1	1	2	21	60	78	38	2	-	-
NONWHITE	10	1	-	-	-	-	-	-	-	1	1	4	4	-	-	-
ROXBURY																
ALL RACES	17	1	-	-	-	-	-	-	2	4	7	-	4	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SALISBURY																
ALL RACES	35	-	1	-	-	-	-	-	2	6	12	13	2	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SHARON																
ALL RACES	36	3	1	-	-	1	-	-	1	7	14	9	3	1	-	-
NONWHITE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
SHERMAN																
ALL RACES	21	-	-	-	-	-	-	-	-	2	4	10	5	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SOUTHBURY																
ALL RACES	114	5	-	-	-	1	1	1	1	18	37	43	12	-	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
THOMASTON																
ALL RACES	82	2	-	-	-	-	-	1	2	31	28	15	4	1	-	-
NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TORRINGTON																
ALL RACES	413	25	1	1	1	1	6	9	8	127	157	86	15	1	1	-
NONWHITE	11	2	-	-	-	-	-	-	1	4	3	3	-	-	-	-

TABLE 4: LIVE BIRTHS TO RESIDENTS OF CONNECTICUT TOWNS BY RACE, LOW BIRTHWEIGHTS AND MATERNAL AGE, 1984-Continued

TOWN OF RESIDENCE	TOTAL	BIRTH WEIGHT		AGE OF MOTHER												
		5.5 LB OR LESS	UN-KNOWN	UNDER 15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45 AND OVER	UN-KNOWN
WARREN																
ALL RACES.....	5	-	-	-	-	-	-	-	-	2	-	1	2	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WASHINGTON																
ALL RACES.....	48	2	-	-	-	-	1	-	-	8	18	15	6	-	-	-
NONWHITE.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
WATERBURY																
ALL RACES.....	1,633	138	2	3	13	24	43	75	88	537	547	234	62	7	-	-
NONWHITE.....	308	52	-	1	8	11	17	20	26	113	74	28	9	1	-	-
WATERTOWN																
ALL RACES.....	211	9	-	-	1	1	1	-	4	29	105	58	12	-	-	-
NONWHITE.....	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
WINCHESTER																
ALL RACES.....	123	8	-	-	-	2	1	4	4	41	38	26	7	-	-	-
NONWHITE.....	4	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-
WOLCOTT																
ALL RACES.....	127	7	-	-	1	-	1	2	-	27	52	34	9	1	-	-
NONWHITE.....	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
WOODBURY																
ALL RACES.....	84	1	1	-	-	2	1	2	1	10	28	27	11	2	-	-
NONWHITE.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-

- NO BIRTHS REPORTED

TABLE 5: FETAL DEATHS OCCURRING IN CONNECTICUT, 1984

	ALL RACES											NONWHITE										
	Age of Mother											Age of Mother										
	Total	Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Unknown	Total	Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Unknown
Column Number	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
Total	322	10	37	74	82	79	33	6	-	-	1	64	1	15	23	13	7	5	-	-	-	-
Sex:																						
Male	170	4	22	42	42	42	17	-	-	-	1	38	1	9	16	6	4	2	-	-	-	-
Female	144	5	13	30	39	36	15	6	-	-	-	25	-	5	7	7	3	3	-	-	-	-
Unknown	8	1	2	2	1	1	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
Place of delivery:																						
Hospitals	319	10	37	73	80	79	33	6	-	-	1	62	1	15	22	12	7	5	-	-	-	-
Other	3	-	-	1	2	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-
Period of gestation:																						
Under 20 weeks	9	-	1	5	-	2	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
20-27 weeks	74	2	9	13	25	19	5	1	-	-	-	17	-	5	7	4	1	-	-	-	-	-
28-31 weeks	29	1	2	5	8	8	5	-	-	-	-	8	1	1	4	1	-	1	-	-	-	-
32-35 weeks	22	1	5	9	4	2	1	-	-	-	-	4	-	1	2	-	-	1	-	-	-	-
36 weeks	14	-	3	3	2	5	1	-	-	-	-	3	-	1	1	1	-	-	-	-	-	-
37-39 weeks	37	-	4	13	5	13	1	1	-	-	-	4	-	1	2	1	-	-	-	-	-	-
40 weeks or over	27	-	1	4	11	8	1	2	-	-	-	4	-	-	2	1	1	-	-	-	-	-
Unknown	110	6	12	22	27	22	18	2	-	-	1	23	-	6	5	5	4	3	-	-	-	-
Weight at birth:																						
1000 grams or less	107	1	16	21	30	22	13	3	-	-	1	26	-	8	8	5	3	2	-	-	-	-
1001-1500 grams	25	1	1	7	7	7	2	-	-	-	-	6	-	-	3	2	1	-	-	-	-	-
1501-2000 grams	32	2	5	11	4	5	5	-	-	-	-	9	1	3	2	2	-	1	-	-	-	-
2001-2500 grams	19	-	-	5	5	6	3	-	-	-	-	4	-	-	2	1	1	-	-	-	-	-
2501-3000 grams	27	-	5	8	6	8	-	-	-	-	-	4	-	1	3	-	-	-	-	-	-	-
3001-3500 grams	30	-	2	4	7	11	3	3	-	-	-	6	-	1	2	2	1	-	-	-	-	-
3501-4000 grams	18	-	1	3	5	6	3	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-
4001-4500 grams	5	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Over 4500 grams	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown	58	6	6	13	16	13	4	-	-	-	-	7	-	2	3	1	-	1	-	-	-	-
Plural births:																						
Single	291	10	36	63	79	66	30	6	-	-	1	63	1	15	23	13	7	4	-	-	-	-
Twins	28	-	1	9	3	12	3	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
Triplets	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 6: CAUSES OF FETAL DEATHS OCCURRING IN CONNECTICUT, 1984

ICD No.	Causes of Fetal Deaths (ICD Ninth Revision)	TOTAL
	Total, all causes	322
228	Hemangioma and lymphangioma	3
432	Other and unspecified intercranial hemorrage	1
457	Noninfective disorders of lymphatic channels	1
740	Anencephalus and similar anomalies	5
741	Spina bifida	2
742	Other congenital anomalies of nervous system	2
746	Other congenital anomalies of heart	3
753	Congenital anomalies of urinary system	1
756	Other congenital musculoskeletal anomalies	2
758	Chromosomal anomalies	2
759	Other and unspecified congenital anomalies	10
760	Fetus affected by maternal conditions which may be unrelated to present pregnancy	13
761	Fetus affected by maternal complications of pregnancy	31
762	Fetus affected by other complications of placenta, cord and membranes	118
765	Disorders relating to short gestation and unspecified low birthweight	21
768	Intrauterine hypoxia and birth asphyxia	15
770	Other respiratory conditions of fetus	1
773	Hemolytic disease of fetus due to isoimmunization	1
775	Endocrine and metabolic disturbances specific to the fetus	4
778	Conditions involving the integument and temperature regulation of fetus	6
779	Other and ill-defined conditions originating in the perinatal period	80

TABLE 7: CAUSES OF DEATH, CONNECTICUT RESIDENTS, 1984

ICD 9TH REVISION	TOTAL	AGE AT DEATH																							
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UN-KNOWN
TOTAL, ALL CAUSES	27,766	435	18	15	12	4	484	36	38	161	289	250	297	347	420	554	822	1,486	2,261	2,961	3,588	3,749	3,646	6,376	1
MALE	14,044	245	11	6	6	1	269	18	26	112	208	182	204	223	255	335	495	933	1,416	1,791	2,018	1,932	1,581	2,045	1
FEMALE	13,721	189	7	9	6	3	214	18	12	49	81	68	93	124	165	219	327	553	845	1,170	1,570	1,817	2,065	4,331	-
UNKNOWN	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7-9 CERTAIN OTHER INTESTINAL INFECTIONS																									
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
10-18 TUBERCULOSIS																									
MALE	11	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	1	3	-	3	-
FEMALE	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	-	-
10-12 TUBERCULOSIS OF THE RESPIRATORY SYSTEM																									
MALE	11	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	1	3	-	3	-
FEMALE	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	-	-
36 MENINGOCOCCAL INFECTION																									
MALE	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-
38 SEPTICEMIA																									
MALE	123	-	-	-	-	-	-	-	1	-	1	1	-	-	2	3	2	6	9	17	17	23	18	23	-
FEMALE	158	2	-	-	-	-	2	-	-	-	-	-	1	3	2	2	2	5	10	12	13	25	26	55	-
ALL OTHER INFECTIOUS AND PARASITIC DISEASES																									
MALE	34	1	-	-	-	-	1	-	-	1	-	3	5	3	-	2	1	3	-	4	5	2	4	-	-
FEMALE	37	1	-	1	-	-	2	-	-	1	2	-	2	2	-	-	1	-	1	9	3	5	4	5	-
140-208 MALIGNANT NEOPLASMS																									
MALE	3,408	1	3	1	-	-	5	3	5	8	10	10	21	34	46	77	127	316	468	578	602	488	340	270	-
FEMALE	3,279	1	1	1	-	-	3	4	3	2	9	8	21	43	70	103	166	262	390	446	509	434	369	437	-
210-239 BENIGN AND UNSPECIFIED NEOPLASMS, CARCINOMA IN SITU																									
MALE	58	-	-	-	-	-	-	-	-	1	-	1	3	-	1	1	1	9	3	8	12	7	6	5	-
FEMALE	64	1	-	-	1	-	2	-	-	-	-	1	1	-	-	4	2	3	1	8	7	10	7	13	-
250 DIABETES MELLITIS																									
MALE	222	-	-	-	-	-	-	-	-	-	1	2	5	3	4	10	9	15	26	27	29	33	23	35	-
FEMALE	282	-	-	-	-	-	-	-	-	-	-	1	1	1	2	4	8	9	22	26	46	43	47	72	-
280-285 ANEMIAS																									
MALE	22	-	-	1	-	-	1	-	-	-	-	1	-	1	-	-	-	-	1	2	2	2	5	7	-
FEMALE	24	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	2	-	1	4	15	-
303 ALCOHOL DEPENDENCE SYNDROME																									
MALE	54	-	-	-	-	-	-	-	-	-	-	1	-	5	8	5	7	5	12	7	1	2	-	-	1
FEMALE	14	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	4	1	1	2	-	1	-	-	-
320-322 MENINGITIS																									
MALE	8	2	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	2	-	1	-	1	-	-	-
FEMALE	7	2	1	1	-	-	4	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-

TABLE 7: CAUSES OF DEATH, CONNECTICUT RESIDENTS, 1984-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																							
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UN-KNOWN
390-448 MAJOR CARDIOVASCULAR DISEASES																									
MALE	6,461	2	-	-	1	-	3	2	2	2	8	6	25	46	98	147	228	390	664	853	970	976	850	1,191	-
FEMALE	6,901	4	-	-	1	-	5	2	1	4	4	6	13	20	34	49	76	160	255	465	724	946	1,229	2,908	-
390-398,402,404-429 DISEASES OF THE HEART																									
MALE	5,324	2	-	-	1	-	3	1	2	2	7	4	23	37	89	131	207	346	578	722	808	783	655	926	-
FEMALE	5,296	4	-	-	1	-	5	2	1	3	4	3	8	15	21	37	57	144	211	375	587	733	924	2,166	-
390-398 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE																									
MALE	21	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	3	1	5	2	2	2	2	-
FEMALE	67	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	7	-	12	12	11	12	9	-
402 HYPERTENSIVE HEART DISEASE																									
MALE	132	-	-	-	-	-	-	-	-	-	-	-	1	3	3	7	5	10	15	16	21	24	12	15	-
FEMALE	158	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	3	3	18	14	19	17	24	56	-
404 HYPERTENSIVE HEART AND RENAL DISEASE																									
MALE	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	4	-	4	-
FEMALE	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	5	-
410-414 ISCHEMIC HEART DISEASE																									
MALE	3,796	-	-	-	-	-	-	-	1	-	1	1	10	19	49	86	146	242	409	509	589	566	495	673	-
FEMALE	3,649	-	-	-	-	-	-	-	-	-	1	-	1	2	8	23	27	85	137	239	394	536	647	1,549	-
415-429 OTHER HEART DISEASE																									
MALE	1,364	2	-	-	1	-	3	1	1	2	6	3	10	15	37	36	56	91	152	192	194	187	146	232	-
FEMALE	1,410	4	-	-	1	-	5	2	-	3	3	3	7	11	12	10	27	49	56	109	160	168	238	547	-
401,403 HYPERTENSION WITH OR WITHOUT MENTION OF RENAL DISEASE																									
MALE	75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	4	2	8	12	14	13	8	9	-
FEMALE	72	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	6	8	17	14	22	-
430-438 CEREBROVASCULAR DISEASES																									
MALE	728	-	-	-	-	-	-	1	-	-	1	1	1	6	7	6	13	30	51	81	109	114	132	175	-
FEMALE	1,154	-	-	-	-	-	-	-	-	1	-	3	5	4	10	9	17	13	35	65	97	149	233	513	-
440 ATHEROSCLEROSIS																									
MALE	120	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	6	11	17	17	19	44	-
FEMALE	245	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	6	9	19	38	167	-
441-448 OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES																									
MALE	214	-	-	-	-	-	-	-	-	-	-	1	1	3	-	3	4	10	21	27	22	49	36	37	-
FEMALE	134	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	1	4	13	23	28	20	40	-
480-486 PNEUMONIA																									
MALE	410	4	1	-	-	-	5	1	1	-	2	1	-	3	3	3	6	10	16	25	56	52	74	152	-
FEMALE	465	4	-	-	1	-	5	1	-	1	-	2	2	3	-	5	3	5	8	19	25	60	75	251	-

TABLE 7: CAUSES OF DEATH, CONNECTICUT RESIDENTS, 1984-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																								
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UN-KNOWN
487 INFLUENZA																										
MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
FEMALE	5	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	2	-
490-496 CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS																										
MALE	507	2	-	-	-	-	2	-	1	-	2	-	-	1	1	1	8	25	40	66	104	102	78	76	-
FEMALE	339	-	-	-	-	-	-	-	-	-	-	1	1	1	2	3	3	13	27	43	65	69	58	53	-
531-533 ULCER OF STOMACH AND DUODENUM																										
MALE	40	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	5	5	8	5	13	-
FEMALE	39	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	3	2	5	11	14	-
550-553, 560 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION																										
MALE	18	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	1	5	4	5	-
FEMALE	49	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	3	1	5	8	29	-
571 CHRONIC LIVER DISEASE AND CIRRHOSIS																										
MALE	225	-	-	-	-	-	-	-	-	-	-	2	6	11	10	11	27	22	37	32	29	25	6	7	-
FEMALE	133	-	-	-	-	-	-	-	-	-	1	-	2	2	5	3	14	14	27	20	15	10	12	8	-
580-589 NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS																										
MALE	122	3	-	-	-	-	3	-	-	-	1	1	1	2	1	3	3	10	5	13	19	19	15	26	-
FEMALE	139	1	-	-	-	-	1	-	-	1	-	-	-	2	1	1	3	4	12	9	12	30	20	43	-
590 INFECTIONS OF KIDNEY																										
MALE	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	2	-
FEMALE	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	1	1	-	1	-
600 HYPERPLASIA OF PROSTATE																										
MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
740-759 CONGENITAL ANOMALIES																										
MALE	71	42	1	-	1	-	44	3	1	4	3	1	4	-	2	1	1	1	2	-	3	-	1	-	-
FEMALE	61	40	1	1	-	-	42	-	-	3	2	1	1	-	2	-	-	2	1	3	1	2	1	-	-
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																										
MALE	130	130	-	-	-	-	130	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	104	104	-	-	-	-	104	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
798.0 SUDDEN INFANT DEATH SYNDROME																										
MALE	37	37	-	-	-	-	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	13	13	-	-	-	-	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E949 ACCIDENTS																										
MALE	619	5	3	2	3	1	14	7	8	63	107	79	48	40	24	23	19	25	33	29	26	27	19	28	-
FEMALE	319	1	2	1	1	2	7	5	2	19	33	23	13	11	13	14	10	13	13	12	26	29	26	50	-

TABLE 7: CAUSES OF DEATH, CONNECTICUT RESIDENTS, 1984-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																						
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UNKNOWN
E810-E825 MOTOR VEHICLE ACCIDENTS																								
MALE	334	1	-	1	-	1	4	2	2	54	85	52	32	23	14	11	3	12	12	3	8	11	3	-
FEMALE	134	-	1	-	1	-	2	1	1	15	26	18	7	7	6	6	7	8	5	5	5	8	4	-
E910 ACCIDENTAL DROWNING AND SUBMERSION																								
MALE	30	1	-	1	1	-	3	-	4	4	4	1	3	-	-	-	-	2	1	-	1	-	-	-
FEMALE	14	-	-	-	1	-	1	2	-	1	2	1	2	-	1	2	-	1	1	1	1	-	-	-
E950-E959 SUICIDE AND SELF-INFLICTED INJURY																								
MALE	211	-	-	-	-	-	-	-	2	13	26	26	17	17	17	14	15	17	14	-	9	9	-	-
FEMALE	60	-	-	-	-	-	-	-	-	1	3	4	5	7	4	6	6	8	6	6	3	4	3	-
E960-E978 HOMICIDE AND LEGAL INTERVENTION																								
MALE	110	2	-	-	-	-	2	-	3	6	25	16	15	12	4	4	7	2	4	3	1	2	1	-
FEMALE	48	1	-	1	2	-	4	1	3	[illegible]	14	4	3	4	2	1	2	1	1	1	-	-	-	-
ALL OTHER CAUSES																								
MALE	1,132	12	3	2	1	-	18	2	2	[illegible]	22	30	54	45	33	29	33	72	78	111	126	143	131	189	-
FEMALE	1,164	14	2	2	-	1	19	5	2	10	12	18	26	22	23	22	23	51	57	85	116	136	163	374	-

- NO DEATHS REPORTED
NOTE: TABLE IS AVAILABLE BY TOWN OF RESIDENCE

TABLE 8: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1984

ICD 9TH REVISION	TOTAL	AGE AT DEATH																								
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UNKNOWN
TOTAL, ALL CAUSES	1,661	103	6	-	3	1	113	7	6	14	33	41	58	63	79	96	108	128	186	162	166	150	117	134	-
MALE	893	44	4	-	2	-	50	3	5	7	20	25	41	38	49	64	69	80	126	88	84	60	46	38	-
FEMALE	768	59	2	-	1	1	63	4	1	7	13	16	17	25	30	32	39	48	60	74	82	90	71	96	-
10-18 TUBERCULOSIS																									
MALE	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-
10-12 TUBERCULOSIS OF THE RESPIRATORY SYSTEM																									
MALE	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-
36 MENINGOCOCCAL INFECTION																									
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
38 SEPTICEMIA																									
MALE	12	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	2	-	-	-	3	2	1	-
FEMALE	12	1	-	-	-	-	1	-	-	-	-	-	-	1	1	-	1	-	1	2	2	2	1	-	-
ALL OTHER INFECTIOUS AND PARASITIC DISEASES																									
MALE	7	-	-	-	-	-	-	-	-	-	-	1	3	1	-	1	-	-	-	-	-	-	1	-	-
FEMALE	4	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-
140-208 MALIGNANT NEOPLASMS																									
MALE	228	-	-	-	-	-	-	-	-	-	1	1	3	6	10	17	22	31	39	32	26	19	10	11	-
FEMALE	161	-	-	-	-	-	-	1	1	1	1	1	1	4	5	9	10	15	19	28	25	23	12	7	-
210-239 BENIGN AND UNSPECIFIED NEOPLASMS, CARCINOMA IN SITU																									
MALE	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	1	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
250 DIABETES MELLITIS																									
MALE	28	-	-	-	-	-	-	-	-	-	-	1	1	-	2	4	4	2	4	4	1	-	3	2	-
FEMALE	19	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	3	5	1	2	3	-
280-285 ANEMIAS																									
MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
303 ALCOHOL DEPENDENCE SYNDROME																									
MALE	15	-	-	-	-	-	-	-	-	-	-	-	-	1	5	1	2	2	4	-	-	-	-	-	-
FEMALE	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	1	-	-	-	-	-
320-322 MENINGITIS																									
MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE	2	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
390-448 MAJOR CARDIOVASCULAR DISEASES																									
MALE	304	1	-	-	-	-	1	-	-	-	1	2	4	10	18	24	20	28	51	41	42	24	22	16	-
FEMALE	323	-	-	-	-	-	-	-	-	2	2	2	3	7	10	11	15	19	23	26	40	48	46	69	-
390-398,402,404-429 DISEASES OF THE HEART																									
MALE	239	1	-	-	-	-	1	-	-	-	1	1	4	7	15	18	17	21	41	31	30	22	18	12	-
FEMALE	250	-	-	-	-	-	-	-	-	2	2	1	1	6	7	8	10	18	18	21	34	36	35	51	-

TABLE 8: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1984-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																							
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UN-KNOWN
390-398 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE																									
FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-
402 HYPERTENSIVE HEART DISEASE																									
MALE	12	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	2	-	1	1	2	1	-	-
FEMALE	30	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	6	2	3	4	4	6	-
410-414 ISCHEMIC HEART DISEASE																									
MALE	125	-	-	-	-	-	-	-	-	-	-	-	1	2	5	5	7	9	27	15	21	15	11	7	-
FEMALE	131	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	4	9	5	11	22	21	22	30	-
415-429 OTHER HEART DISEASE																									
MALE	102	1	-	-	-	-	1	-	-	-	1	1	2	4	9	12	9	10	14	15	8	5	6	5	-
FEMALE	86	-	-	-	-	-	-	-	-	2	2	1	1	3	4	3	5	8	7	7	9	11	9	14	-
401,403 HYPERTENSION WITH OR WITHOUT MENTION OF RENAL DISEASE																									
MALE	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	2	-	1	-	-
FEMALE	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	1	-
430-438 CEREBROVASCULAR DISEASES																									
MALE	48	-	-	-	-	-	-	-	-	-	-	-	-	3	3	3	2	7	7	9	7	1	2	4	-
FEMALE	57	-	-	-	-	-	-	-	-	-	-	1	2	1	2	2	4	1	5	4	5	10	9	11	-
440 ATHEROSCLEROSIS																									
MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	-
441-448 OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES																									
MALE	8	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	1	1	1	1	-	-
FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	1	-
480-486 PNEUMONIA																									
MALE	26	2	1	-	-	-	3	1	-	-	-	1	-	1	-	2	1	3	7	-	4	1	1	1	-
FEMALE	14	-	-	-	1	-	1	-	-	1	-	1	1	-	-	2	-	1	-	2	-	2	1	2	-
490-496 CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS																									
MALE	15	1	-	-	-	-	1	-	1	-	2	-	-	-	1	-	1	1	3	-	-	3	1	1	-
FEMALE	11	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	1	2	1	2	-	1	-
531-533 ULCER OF STOMACH AND DUODENUM																									
MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-

TABLE 8: CAUSES OF DEATH AMONG NONWHITE RESIDENTS, CONNECTICUT, 1984-Continued

ICD 9TH REVISION	TOTAL	AGE AT DEATH																							
		UNDER 1	1 YEAR	2 YEARS	3 YEARS	4 YEARS	TOTAL UNDER 5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 AND OVER	UNKNOWN
550-553, 560 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION																									
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
571 CHRONIC LIVER DISEASE AND CIRRHOSIS																									
MALE	13	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-	3	1	1	2	-	1	-	-	-
FEMALE	8	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	2	1	-	-	-	-
580-589 NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS																									
MALE	9	1	-	-	-	-	1	-	-	-	-	-	-	1	-	2	1	1	1	1	-	1	-	-	-
FEMALE	19	1	-	-	-	-	1	-	-	-	-	-	-	1	1	-	2	2	6	-	1	-	3	2	-
590 INFECTIONS OF KIDNEY																									
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
740-759 CONGENITAL ANOMALIES																									
MALE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	11	10	-	-	-	-	10	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																									
MALE	24	24	-	-	-	-	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	38	38	-	-	-	-	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
798.0 SUDDEN INFANT DEATH SYNDROME																									
MALE	11	11	-	-	-	-	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	3	3	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E949 ACCIDENTS																									
MALE	42	1	2	-	2	-	5	2	2	4	3	2	6	2	3	-	3	1	6	-	2	-	1	-	-
FEMALE	24	-	1	-	-	1	2	1	-	-	2	2	-	2	2	4	2	1	-	2	-	3	1	-	-
E810-E825 MOTOR VEHICLE ACCIDENTS																									
MALE	14	-	-	-	1	-	1	-	1	3	2	1	1	-	1	-	-	1	2	-	1	-	-	-	-
FEMALE	10	-	-	-	-	1	1	-	-	-	-	2	-	1	1	1	2	1	-	1	-	-	-	-	-
E910 ACCIDENTAL DROWNING AND SUBMERSION																									
MALE	6	1	-	-	-	-	1	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
E950-E959 SUICIDE AND SELF-INFLICTED INJURY																									
MALE	8	-	-	-	-	-	-	-	1	-	-	1	1	1	1	-	2	1	-	-	-	-	-	-	-
FEMALE	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
E960-E978 HOMICIDE AND LEGAL INTERVENTION																									
MALE	41	-	-	-	-	-	-	-	1	1	11	8	5	4	1	2	2	2	3	1	-	-	-	-	-
FEMALE	9	-	-	-	-	-	-	-	-	-	4	3	1	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER CAUSES																									
MALE	98	3	1	-	-	-	4	-	-	2	1	6	16	8	5	7	8	5	6	5	7	7	5	6	-
FEMALE	95	5	-	-	-	-	5	2	-	2	4	6	10	6	7	3	4	6	6	5	6	7	4	12	-

- NO DEATHS REPORTED

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1984

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON-WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MOS	3-11 MOS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
CONNECTICUT	435	103	198	74	43	61	59	82	235	43	20	50	68
HSA 1 SOUTHWESTERN	97	35	47	12	10	14	14	14	56	10	6	8	19
BRIDGEPORT	45	22	23	6	4	7	5	4	27	5	5	3	11
DARIEN	3	-	-	1	1	-	1	-	2	-	-	-	1
EASTON	-	-	-	-	-	-	-	-	-	-	-	-	-
FAIRFIELD	6	-	4	-	-	1	1	-	4	1	-	1	1
GREENWICH	2	-	2	-	-	-	-	-	2	-	-	-	-
MONROE	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW CANAAN	-	-	-	-	-	-	-	-	-	-	-	-	-
NORWALK	17	8	10	1	1	3	2	7	7	3	-	1	2
STAMFORD	13	3	2	3	1	2	5	2	6	-	-	2	3
STRATFORD	8	2	6	-	1	1	-	1	5	1	1	1	1
TRUMBULL	-	-	-	-	-	-	-	-	-	-	-	-	-
WESTON	-	-	-	-	-	-	-	-	-	-	-	-	-
WESTPORT	1	-	-	-	1	-	-	-	1	-	-	-	-
WILTON	2	-	-	1	1	-	-	-	2	-	-	-	-
HSA 2 SOUTH CENTRAL	91	25	38	25	6	15	7	18	49	13	5	11	13
ANSONIA	6	-	3	1	2	-	-	2	4	1	1	-	-
BETHANY	-	-	-	-	-	-	-	-	-	-	-	-	-
BRANFORD	1	-	1	-	-	-	-	-	1	1	-	-	-
DERBY	5	-	1	1	1	1	1	3	1	-	-	1	-
EAST HAVEN	1	-	-	-	-	1	-	-	-	-	-	-	1
GUILFORD	2	-	2	-	-	-	-	1	1	-	-	-	-
HAMDEN	4	1	2	2	-	-	-	1	3	-	1	-	-
MADISON	-	-	-	-	-	-	-	-	-	-	-	-	-
MERIDEN	12	2	6	2	1	2	1	1	8	3	-	1	2
MILFORD	2	-	1	1	-	-	-	1	1	1	-	-	-
NEW HAVEN	38	20	15	15	2	4	2	7	22	5	3	4	5
NORTH BRANFORD	1	-	1	-	-	-	-	1	-	-	-	-	-
NORTH HAVEN	2	-	1	-	-	1	-	-	1	-	-	1	-
ORANGE	-	-	-	-	-	-	-	-	-	-	-	-	-
OXFORD	-	-	-	-	-	-	-	-	-	-	-	-	-
SEYMOUR	1	-	-	-	-	1	-	-	-	-	-	-	1
SHELTON	3	-	1	1	-	-	1	1	1	-	-	-	1
WALLINGFORD	2	-	-	-	-	1	1	-	-	-	-	2	-
WEST HAVEN	10	2	4	2	-	4	-	-	6	2	-	2	2
WOODBRIDGE	1	-	-	-	-	-	1	-	-	-	-	-	1
HSA 3 EASTERN	65	6	30	7	9	10	9	18	31	4	4	9	7
ASHFORD	-	-	-	-	-	-	-	-	-	-	-	-	-
BOZRAH	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1984-Continued

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON-WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MOS	3-11 MOS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
BROOKLYN	2	-	-	-	-	1	1	-	-	-	-	2	-
CANTERBURY	-	-	-	-	-	-	-	-	-	-	-	-	-
CHAPLIN	1	-	-	-	-	1	-	-	-	-	-	1	-
CHESTER	1	-	1	-	-	-	-	-	1	1	-	-	-
CLINTON	5	-	3	-	1	1	-	-	4	-	3	-	1
COLCHESTER	1	-	-	-	-	-	1	-	-	-	-	-	1
COLUMBIA	-	-	-	-	-	-	-	-	-	-	-	-	-
COVENTRY	5	-	-	2	1	-	2	2	1	-	-	2	-
CROMWELL	1	-	-	-	1	-	-	1	-	-	-	-	-
DEEP RIVER	-	-	-	-	-	-	-	-	-	-	-	-	-
DURHAM	-	-	-	-	-	-	-	-	-	-	-	-	-
EASTFORD	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HADDAM	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HAMPTON	1	-	1	-	-	-	-	-	1	-	-	-	-
EAST LYME	-	-	-	-	-	-	-	-	-	-	-	-	-
ESSEX	-	-	-	-	-	-	-	-	-	-	-	-	-
FRANKLIN	1	-	1	-	-	-	-	1	-	-	-	-	-
GRISWOLD	2	-	2	-	-	-	-	-	2	-	-	-	-
GROTON	8	1	4	1	-	1	2	4	3	-	-	-	1
HADDAM	-	-	-	-	-	-	-	-	-	-	-	-	-
HAMPTON	-	-	-	-	-	-	-	-	-	-	-	-	-
KILLINGLY	1	-	1	-	-	-	-	1	-	-	-	-	-
KILLINGWORTH	-	-	-	-	-	-	-	-	-	-	-	-	-
LEBANON	-	-	-	-	-	-	-	-	-	-	-	-	-
LEDYARD	-	-	-	-	-	-	-	-	-	-	-	-	-
LISBON	1	-	-	-	1	-	-	-	1	-	-	-	-
LYME	1	-	1	-	-	-	-	-	1	-	-	-	-
MANSFIELD	1	-	-	1	-	-	-	-	1	-	-	-	-
MIDDLEFIELD	-	-	-	-	-	-	-	-	-	-	-	-	-
MIDDLETOWN	5	1	2	-	1	1	1	2	1	-	-	1	1
MONTVILLE	1	-	-	-	-	-	1	-	-	-	-	-	1
NEW LONDON	7	2	4	-	1	2	-	1	-	2	-	-	-
N STONINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-
NORWICH	6	1	3	1	1	-	1	3	2	-	-	-	1
OLD LYME	-	-	-	-	-	-	-	-	-	-	-	-	-
OLD SAYBROOK	-	-	-	-	-	-	-	-	-	-	-	-	-
PLAINFIELD	2	-	2	-	-	-	-	1	1	-	-	-	-
POMFRET	-	-	-	-	-	-	-	-	-	-	-	-	-
PORTLAND	-	-	-	-	-	-	-	-	-	-	-	-	-
PRESTON	1	-	1	-	-	-	-	-	1	1	-	-	-

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1984-Continued

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON-WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MOS	3-11 MOS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
PUTNAM	-	-	-	-	-	-	-	-	-	-	-	-	-
SALEM	2	-	2	-	-	-	-	-	2	-	-	-	-
SCOTLAND	1	-	-	1	-	-	-	-	-	-	-	-	1
SPRAGUE	-	-	-	-	-	-	-	-	-	-	-	-	-
STERLING	-	-	-	-	-	-	-	-	-	-	-	-	-
STONINGTON	1	-	-	1	-	-	-	-	1	-	-	-	-
THOMPSON	2	-	1	-	1	-	-	-	1	-	1	1	-
UNION	-	-	-	-	-	-	-	-	-	-	-	-	-
VOLUNTOWN	-	-	-	-	-	-	-	-	-	-	-	-	-
WATERFORD	-	-	-	-	-	-	-	-	-	-	-	-	-
WESTBROOK	-	-	-	-	-	-	-	-	-	-	-	-	-
WILLINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-
WINDHAM	4	1	1	-	1	2	-	2	1	-	-	1	-
WOODSTOCK	1	-	-	-	-	1	-	-	-	-	-	1	-
HSA 4 NORTH CENTRAL	125	31	60	20	11	16	18	20	71	11	4	15	19
ANDOVER	-	-	-	-	-	-	-	-	-	-	-	-	-
AVON	2	-	1	-	-	-	1	1	1	1	-	-	-
BERLIN	-	-	-	-	-	-	-	-	-	-	-	-	-
BLOOMFIELD	2	-	1	1	-	-	-	-	2	-	-	-	-
BOLTON	-	-	-	-	-	-	-	-	-	-	-	-	-
BRISTOL	5	-	3	1	1	-	-	2	3	-	-	-	-
BURLINGTON	1	-	1	-	-	-	-	1	-	-	-	-	-
CANTON	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST GRANBY	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST HARTFORD	2	-	-	-	1	1	-	-	1	-	-	1	-
EAST WINDSOR	1	-	1	-	-	-	-	-	1	-	-	-	-
ELLINGTON	1	-	-	1	-	-	-	1	-	-	-	-	-
ENFIELD	9	-	4	3	1	1	-	3	4	3	-	1	1
FARMINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-
GLASTONBURY	2	-	-	2	-	-	-	-	2	-	-	-	-
GRANBY	1	-	1	-	-	-	-	1	-	-	-	-	-
HARTFORD	55	29	24	9	6	5	11	5	31	3	2	10	9
HARTLAND	-	-	-	-	-	-	-	-	-	-	-	-	-
HEBRON	1	-	-	-	-	1	-	-	-	-	-	-	1
MANCHESTER	2	-	1	-	-	-	1	-	2	-	1	-	-
MARLBOROUGH	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW BRITAIN	14	-	6	1	2	2	3	1	6	-	-	-	7
NEWINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-
PLAINVILLE	2	-	1	-	-	1	-	-	1	-	-	1	-
PLYMOUTH	3	-	2	-	-	-	1	-	2	-	-	1	-

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1984-Continued

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON-WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MOS	3-11 MOS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
ROCKY HILL	-	-	-	-	-	-	-	-	-	-	-	-	-
SIMSBURY	-	-	-	-	-	-	-	-	-	-	-	-	-
SOMERS	-	-	-	-	-	-	-	-	-	-	-	-	-
SOUTHINGTON	3	-	2	1	-	-	-	1	2	-	1	-	-
SOUTH WINDSOR	-	-	-	-	-	-	-	-	-	-	-	-	-
STAFFORD	-	-	-	-	-	-	-	-	-	-	-	-	-
SUFFIELD	1	-	-	1	-	-	-	-	1	-	-	-	-
TOLLAND	-	-	-	-	-	-	-	-	-	-	-	-	-
VERNON	1	-	1	-	-	-	-	-	1	-	-	-	-
WEST HARTFORD	5	-	3	-	-	2	-	2	2	-	-	1	-
WETHERSFIELD	-	-	-	-	-	-	-	-	-	-	-	-	-
WINDSOR	9	2	5	-	-	3	1	2	6	3	-	-	1
WINDSOR LOCKS	3	-	3	-	-	-	-	-	3	1	-	-	-
HSA 5 NORTHWESTERN	57	6	23	10	7	6	11	12	28	5	1	7	10
BARKHAMSTED	-	-	-	-	-	-	-	-	-	-	-	-	-
BEACON FALLS	-	-	-	-	-	-	-	-	-	-	-	-	-
BETHEL	-	-	-	-	-	-	-	-	-	-	-	-	-
BETHLEHEM	-	-	-	-	-	-	-	-	-	-	-	-	-
BRIDGEWATER	-	-	-	-	-	-	-	-	-	-	-	-	-
BROOKFIELD	-	-	-	-	-	-	-	-	-	-	-	-	-
CANAAN	-	-	-	-	-	-	-	-	-	-	-	-	-
CHESHIRE	1	-	1	-	-	-	-	-	1	-	-	-	-
COLEBROOK	-	-	-	-	-	-	-	-	-	-	-	-	-
CORNWALL	-	-	-	-	-	-	-	-	-	-	-	-	-
DANBURY	9	-	4	2	1	1	1	2	4	-	-	1	2
GOSHEN	-	-	-	-	-	-	-	-	-	-	-	-	-
HARWINTON	-	-	-	-	-	-	-	-	-	-	-	-	-
KENT	-	-	-	-	-	-	-	-	-	-	-	-	-
LITCHFIELD	-	-	-	-	-	-	-	-	-	-	-	-	-
MIDDLEBURY	-	-	-	-	-	-	-	-	-	-	-	-	-
MORRIS	-	-	-	-	-	-	-	-	-	-	-	-	-
NAUGATUCK	7	-	5	-	1	-	1	1	5	1	1	-	1
NEW FAIRFIELD	1	-	1	-	-	-	-	1	-	-	-	-	-
NEW HARTFORD	-	-	-	-	-	-	-	-	-	-	-	-	-
NEW MILFORD	3	-	1	-	1	-	1	1	1	-	-	-	1
NEWTOWN	3	-	-	-	1	1	1	1	1	-	-	1	-
NORFOLK	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH CANAAN	-	-	-	-	-	-	-	-	-	-	-	-	-
PROSPECT	-	-	-	-	-	-	-	-	-	-	-	-	-
REDDING	2	-	1	-	-	-	1	-	2	1	-	-	-

TABLE 9: DEATHS UNDER ONE YEAR OF AGE, CONNECTICUT RESIDENTS, 1984-Continued

RESIDENCE	DEATHS UNDER 1 YEAR		AGE AT DEATH					CAUSES OF DEATH, ICD 9TH REVISION					
	ALL RACES	NON-WHITE	UNDER 1 DAY	1-6 DAYS	7-27 DAYS	28 DAYS TO 3 MOS	3-11 MOS	CONGENITAL ANOMALIES 740-759	CERTAIN CONDITIONS ORIG IN PERINATAL PERIOD 760-779	SHORT GESTATION AND UNSPEC LOW BIRTHWT. 765	INTRA UTERINE HYPOXIA AND BIRTH ASPHYXIA 768	SUDDEN INFANT DEATH SYNDROME 798.0	ALL OTHER CAUSES
RIDGEFIELD	3	-	-	2	-	-	1	2	-	-	-	-	1
ROXBURY	-	-	-	-	-	-	-	-	-	-	-	-	-
SALISBURY	-	-	-	-	-	-	-	-	-	-	-	-	-
SHARON	-	-	-	-	-	-	-	-	-	-	-	-	-
SHERMAN	1	-	-	1	-	-	-	-	1	-	-	-	-
SOUTHBURY	1	-	-	1	-	-	-	-	1	-	-	-	-
THOMASTON	1	-	-	-	-	-	1	-	-	-	-	1	-
TORRINGTON	5	1	2	-	-	1	2	-	3	-	-	2	-
WARREN	-	-	-	-	-	-	-	-	-	-	-	-	-
WASHINGTON	-	-	-	-	-	-	-	-	-	-	-	-	-
WATERBURY	16	4	7	4	1	2	2	4	8	3	-	1	3
WATERTOWN	1	1	-	-	-	1	-	-	-	-	-	1	-
WINCHESTER	2	-	-	-	2	-	-	-	1	-	-	-	1
WOLCOTT	1	-	1	-	-	-	-	-	-	-	-	-	1
WOODBURY	-	-	-	-	-	-	-	-	-	-	-	-	-

- NO DEATHS REPORTED

TABLE 10: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1984

ALL RACES

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
TOTAL, ALL CAUSES	435	198	74	23	15	5	315	33	28	10	12	10	4	8	6	2	4	3
MALE	245	110	38	12	7	2	169	24	17	6	5	6	3	5	5	1	3	1
FEMALE	189	87	36	11	8	3	145	9	11	4	7	4	1	3	1	1	1	2
UNKNOWN	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
001-139 INFECTIVE AND PARASITIC DISEASES																		
MALE	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE	3	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	1	-
140-208 MALIGNANT NEOPLASMS																		
MALE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
390-398, 402,404-429 DISEASES OF THE HEART																		
MALE	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
FEMALE	4	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-
460-519 DISEASES OF THE RESPIRATORY SYSTEM																		
MALE	7	-	-	-	-	-	-	2	1	-	1	1	-	1	-	1	-	-
FEMALE	6	-	3	-	-	-	3	-	-	-	1	1	-	-	-	-	-	1
480-486 PNEUMONIA																		
MALE	4	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-
FEMALE	4	-	2	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-
520-579 DISEASES OF THE DIGESTIVE SYSTEM																		
MALE	2	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-
740-759 CONGENITAL ANOMALIES																		
MALE	42	15	14	4	-	1	34	4	-	1	-	-	-	1	1	-	-	1
FEMALE	40	18	10	4	1	-	33	2	1	-	2	-	-	1	-	1	-	-
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																		
MALE	130	91	21	6	7	-	125	2	2	-	-	1	-	-	-	-	-	-
FEMALE	104	66	19	6	6	3	100	1	-	1	1	-	1	-	-	-	-	-
UNKNOWN	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
765 DISORDERS RELATING TO SHORT GESTATION AND LOW BIRTH WEIGHT																		
MALE	22	22	-	-	-	-	22	-	-	-	-	-	-	-	-	-	-	-
FEMALE	20	18	2	-	-	-	20	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

TABLE 10: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1984-Continued

ALL RACES

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
767 BIRTH TRAUMA																		
MALE	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
768 INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA																		
MALE	9	5	3	1	-	-	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE	11	8	2	-	-	-	10	-	-	1	-	-	-	-	-	-	-	-
798.0 SUDDEN INFANT DEATH SYNDROME																		
MALE	37	1	-	1	-	-	2	12	9	3	3	2	3	3	-	-	-	-
FEMALE	13	-	-	-	-	-	-	2	7	1	-	2	-	-	-	-	-	1
E800-E949 ACCIDENTS																		
MALE	5	1	1	-	-	-	2	-	-	1	-	-	-	-	-	-	2	-
FEMALE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
E911-E912 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT																		
MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
E913 ACCIDENTAL MECHANICAL SUFFOCATION																		
MALE	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER CAUSES																		
MALE	17	2	2	1	-	-	5	4	1	1	1	2	-	-	3	-	-	-
FEMALE	17	3	4	-	1	-	8	1	2	2	2	-	-	1	1	-	-	-

TABLE 10: SELECTED CAUSES OF INFANT DEATHS, CONNECTICUT RESIDENTS, 1984-Continued

NONWHITE

ICD 9TH REVISION	AGE AT DEATH																	
	TOTAL UNDER 1 YEAR	UNDER 1 DAY	1-6 DAYS	7-13 DAYS	14-20 DAYS	21-27 DAYS	UNDER 4 WEEKS	28 DAYS TO 2 MOS.	2 MOS.	3 MOS.	4 MOS.	5 MOS.	6 MOS.	7 MOS.	8 MOS.	9 MOS.	10 MOS.	11 MOS.
TOTAL, ALL CAUSES	103	54	15	4	2	1	76	5	8	3	5	-	1	1	-	1	2	1
MALE	44	19	4	3	-	-	26	4	5	1	4	-	1	-	-	1	2	-
FEMALE	59	35	11	1	2	1	50	1	3	2	1	-	-	1	-	-	-	1
001-139 INFECTIVE AND PARASITIC DISEASES																		
FEMALE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
390-398, 402,404-429 DISEASES OF THE HEART																		
MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
460-519 DISEASES OF THE RESPIRATORY SYSTEM																		
MALE	3	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
480-486 PNEUMONIA																		
MALE	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
740-759 CONGENITAL ANOMALIES																		
FEMALE	10	7	1	1	-	-	9	-	1	-	-	-	-	-	-	-	-	-
760-779 CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD																		
MALE	24	18	4	1	-	-	23	-	1	-	-	-	-	-	-	-	-	-
FEMALE	38	27	9	-	1	1	38	-	-	-	-	-	-	-	-	-	-	-
765 DISORDERS RELATING TO SHORT GESTATION AND LOW BIRTH WEIGHT																		
MALE	3	3	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE	12	10	2	-	-	-	12	-	-	-	-	-	-	-	-	-	-	-
767 BIRTH TRAUMA																		
MALE	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
768 INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA																		
MALE	3	3	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE	4	2	2	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-
798.0 SUDDEN INFANT DEATH SYNDROME																		
MALE	11	-	-	1	-	-	1	2	4	1	2	-	1	-	-	-	-	-
FEMALE	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
E800-E949 ACCIDENTS																		
MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER CAUSES																		
MALE	4	1	-	1	-	-	2	1	-	-	1	-	-	-	-	-	-	-
FEMALE	6	1	1	-	1	-	3	-	-	1	1	-	-	1	-	-	-	-

- NO DEATHS REPORTED

TABLE 11: LEADING CAUSES OF DEATH IN CERTAIN AGE GROUPS, CONNECTICUT, 1984

Causes of Death (ICD 9th Revision)	Total Deaths	Age Specific Death Rate Per 100,000	Per Cent Within Age Group	Male Deaths	Age Specific Male Rate Per 100,000	Per Cent Within Age Group	Female Deaths	Age Specific Female Rate Per 100,000	Per Cent Within Age Group
All Causes (under 1 yr.)*	435	10.3	100.0	245	11.3	100.0	189	9.2	100.0
Certain conditions originating in perinatal period (760-799)	234	5.5	53.8	130	6.0	53.1	104	5.1	55.0
Congenital anomalies (740-759)	82	1.9	18.9	42	1.9	17.1	40	2.0	21.2
Sudden infant death syndrome (798.0)	50	1.2	11.5	37	1.7	15.1	13	0.6	6.9
Influenza and pneumonia (480-487)	8	0.2	1.8	4	0.2	1.6	4	0.2	2.1
Diseases of the heart (390-398, 402, 404-429)	6	0.1	1.4	2	0.1	0.8	4	0.2	2.1
Accidents (E800-E949)	6	0.1	1.4	5	0.2	2.0	1	0.05	0.5
All other causes	49	1.2	11.3	25	1.2	10.2	23	1.1	12.2
All Causes (1-14 years)	123	21.9	100.0	68	23.7	100.0	55	20.0	100.0
Accidents, total (E800-E949)	37	6.6	30.1	24	8.4	35.3	13	4.7	23.6
Malignant neoplasms (140-208)	21	3.7	17.1	12	4.2	17.6	9	3.3	16.4
Homicides and legal intervention (E960-E978)	10	1.8	8.1	3	1.0	4.4	7	2.5	12.7
Diseases of the heart (390-398, 402, 404-429)	8	1.4	6.5	4	1.4	5.9	4	1.5	7.3
Congenital anomalies (740-759)	8	1.4	6.5	6	2.1	8.8	2	0.7	3.6
All other causes	39	6.9	31.7	19	6.6	28.0	20	7.3	36.4
All Causes (15-24 years)	450	74.4	100.0	320	116.3	100.0	130	48.4	100.0
Accidents, total (E800-E949)	222	36.7	49.3	170	61.8	53.1	52	19.3	40.0
Homicides and legal intervention (E960-E978)	52	8.6	11.6	31	11.3	9.7	21	7.8	16.2
Suicide (E950-E959)	43	7.1	9.6	39	14.2	12.2	4	1.5	3.1
Malignant neoplasms (140-208)	29	4.8	6.4	18	6.5	5.6	11	4.1	8.5
Diseases of the heart (390-398, 402, 404-429)	16	2.6	3.6	9	3.3	2.8	7	2.6	5.4
Congenital anomalies (740-759)	12	2.0	2.7	7	2.5	2.2	5	1.9	3.8
All other causes	76	12.6	16.8	46	16.7	14.4	30	11.2	23.0
All Causes (25-44 years)	1,314	138.9	100.0	864	186.4	100.0	450	93.3	100.0
Malignant neoplasms (140-208)	253	26.7	19.3	111	23.9	12.8	142	29.4	31.6
Accidents, total (E800-E949)	251	26.5	19.1	191	41.2	22.1	60	12.4	13.3
Diseases of the heart (390-398, 402, 404-429)	200	21.1	15.2	153	33.0	17.7	47	9.7	10.4
Suicide (E950-E959)	97	10.2	7.4	77	16.6	8.9	20	4.1	4.4
Homicides and legal intervention (E960-E978)	60	6.3	4.6	47	10.1	5.4	13	2.6	2.9
Chronic liver disease and cirrhosis (571)	38	4.0	2.9	29	6.2	3.4	9	1.8	2.0
Cerebrovascular disease (430-438)	37	3.9	2.8	15	3.2	1.7	22	4.5	4.9
Diabetes mellitus (250)	19	2.0	1.4	14	3.0	1.6	5	1.0	1.1
All other causes	359	37.9	27.3	227	48.9	26.4	132	27.3	29.4

TABLE 11: LEADING CAUSES OF DEATH IN CERTAIN AGE GROUPS, CONNECTICUT, 1984 cont'd.

Causes of Death (ICD 9th Revision)	Total Deaths	Age Specific Death Rate Per 100,000	Per Cent Within Age Group	Male Deaths	Age Specific Male Rate Per 100,000	Per Cent Within Age Group	Female Deaths	Age Specific Female Rate Per 100,000	Per Cent Within Age Group
All Causes (45-64 years)	5,123	773.1	100.0	3,179	1003.0	100.0	1,944	562.4	100.0
Malignant neoplasms (140-208)	1,909	288.1	37.3	988	311.7	31.1	921	266.4	47.4
Diseases of the heart (390-398, 402, 404-429)	1,711	258.2	33.4	1,262	398.2	39.7	449	129.9	23.1
Cerebrovascular disease (430-438)	174	26.3	3.4	100	31.6	3.1	74	21.4	3.8
Chronic liver disease and cirrhosis (571)	155	23.4	3.0	97	30.6	3.1	58	16.8	3.0
Accidents, total (E800-E959)	150	22.6	2.9	100	31.6	3.1	50	14.5	2.6
Chronic obstructive pulmonary disease and allied conditions (490-496)	120	18.1	2.3	74	23.3	2.3	46	13.3	2.4
Diabetes Mellitis (250)	103	15.5	2.0	60	18.9	1.9	43	12.4	2.2
Suicides (E950-E959)	86	13.0	1.7	60	18.9	1.9	26	7.5	1.3
Pneumonia and influenza (480-487)	58	8.8	1.1	36	11.4	1.1	22	6.4	1.1
All other causes	657	99.2	12.9	402	126.8	12.7	255	73.8	13.1
All Causes (65 years and over)	20,320	4922.6	100.0	9,367	5715.4	100.0	10,953	4400.6	100.0
Diseases of the heart (390-398, 402, 404-429)	8,679	2102.5	42.7	3,894	2376.0	41.6	4,785	1922.5	43.7
Malignant neoplasms (140-208)	4,473	1083.6	22.0	2,278	1390.0	24.3	2,195	881.9	20.0
Cerebrovascular disease (430-438)	1,668	404.1	8.2	611	372.8	6.5	1,057	424.7	9.7
Chronic obstructive pulmonary disease and allied conditions (490-496)	714	173.0	3.5	426	259.9	4.5	288	115.7	2.6
Diabetes Mellitis (250)	381	92.3	1.9	147	89.7	1.6	234	94.0	2.1
Atherosclerosis (440)	347	84.1	1.7	108	65.9	1.2	239	96.0	2.2
Accidents, total (E800-E949)	272	65.9	1.3	129	78.7	1.4	143	57.5	1.3
Septicemia (038)	229	55.5	1.1	98	59.8	1.0	131	52.6	1.2
All other causes	3,557	861.7	17.6	1,676	1022.6	17.9	1,881	755.7	17.2

*Rates for persons under one year per 1,000 live births.

TABLE 12: NUMBER OF PRESENT MARRIAGE FOR BRIDE AND GROOM IN MARRIAGES OCCURRING IN CONNECTICUT, 1984

Number for Bride	TOTAL	First	Second	Third	Fourth	Fifth	Unknown
TOTAL	27,236	18,763	7,263	1,050	104	10	46
First	19,434	16,027	3,086	270	26	3	22
Second	6,653	2,444	3,572	567	51	4	15
Third	984	236	536	185	22	3	2
Fourth	92	22	49	18	3	-	-
Fifth	17	1	6	8	2	-	-
Sixth	3	-	1	2	-	-	-
Seventh	1	1	-	-	-	-	-
Unknown	52	32	13	-	-	-	7

TABLE 13: MARITAL STATUS OF BRIDE AND GROOM IN MARRIAGES OCCURRING IN CONNECTICUT, 1984

Previous Marital Status of Groom

Previous Marital Status of Bride	TOTAL	Single	Widowed	Divorced	Annulled	Unknown
TOTAL	27,236	18,763	723	7,497	101	152
Single	19,434	16,027	100	3,162	68	77
Wodowed	689	121	289	274	2	3
Divorced	6,825	2,449	328	3,984	22	42
Annulled	93	57	4	24	8	-
Unknown	195	109	2	53	1	30

TABLE 14: COUNTY OF DISSOLUTION OF MARRIAGES
CONNECTICUT, 1984

COUNTY	TOTAL
CONNECTICUT, TOTAL	11,777
Fairfield	2,666
Hartford	2,779
Litchfield	536
Middlesex	528
New Haven	3,083
New London	1,111
Tolland	686
Windham	388
Sex of Complainant:	
Male	3,910
Female	7,658
Not Stated	209

TABLE 15: CHILDREN UNDER 18
AFFECTED BY MARRIAGE DISSOLUTION
CONNECTICUT, 1984

Number of Children Under 18 Years Per Dissolution	Number of Dissolutions
Total	11,777
No children	5,536
One child	2,942
Two children	2,475
Three children	658
Four children	137
Five children	16
Six or more children	9
Not Stated	4

TABLE 16: DURATION OF MARRIAGES DISSOLVED
CONNECTICUT, 1984

Year Marriage Was Contracted	Number Marriages Dissolved	Year Marriage Was Contracted	Number Marriages Dissolved
TOTAL	11,777	1972	364
1984	62	1971	362
1983	471	1970	370
1982	837	1969-1965	1,496
1981	948	1964-1960	940
1980	940	1959-1955	494
1979	794	1954-1950	290
1978	704	1949-1945	124
1977	570	1944-1940	46
1976	557	1939-1935	10
1975	461	1934-1930	4
1974	467	Prior to 1930	3
1973	405	Unknown	58

GLOSSARY

Birth Weight	Weight of fetus or infant at a time of delivery.
Fetal Death	Death prior to the complete expulsion or extraction from the mother of a product of conception, which has passed through at least the 20th week of gestation. The fetus shows no signs of life such as heartbeat, pulsation of the umbilical cord, or movement of voluntary muscles.
Gestational Period	Number of weeks elapsed between the first day of the last menstrual period and date of delivery.
Infant Death	Death occurring to an individual of less than 1 year of age.
Live Birth	The complete expulsion or extraction from the mother of a product of conception, irrespective of the duration of pregnancy; after such separation, breathes or show other signs of life.
Low Birth Weight	Birth wherein the birth weight is equivalent to 2,500 grams or less (approximately 5 lbs. 8 oz.).
Maternal Death	Those deaths wherein the physician has designated a maternal condition as the underlying cause of death.
Neonatal Death	Death occurring to an infant less than 28 days of age.
Occurrence	Place where the event actually occurred regardless of residence.
Residence	Usual place of residence for person to whom event occurred. For births and fetal deaths residence is defined as the mother's usual place of residence.

RATES

Age-Adjusted Death Rate: Sum of (Age-Specific Death Rates X Proportion of Standard Population in Specific Age Group)

Age-Specific Birth Rate:

$$\frac{\text{No. of Resident Live Births for a Specific Age of Mother}}{\text{Total Female Population of Specific Age}} \times 1{,}000$$

Age-Specific Death Rate:

$$\frac{\text{No. of Deaths in Specific Age Group}}{\text{Total Resident Population in Specific Age Group}} \times 100{,}000$$

Crude Birth Rate:

$$\frac{\text{No. of Resident Live Births}}{\text{Total Resident Population}} \times 1{,}000$$

Crude Death Rate:

$$\frac{\text{No. of Resident Deaths}}{\text{Total Resident Population}} \times 1{,}000$$

Divorce Rate:

$$\frac{\text{No. of Persons (Divorces \& Annulments)}}{\text{Total Resident Population}} \times 1{,}000$$

Fetal Death Ratio:

$$\frac{\text{Fetal Deaths at Place of Occurrence}}{\text{Total of Births at Place of Occurrence}} \times 1{,}000$$

Infant Death Rate:

$$\frac{\text{No. of Resident Infant Deaths}}{\text{Total Resident Live Births}} \times 1{,}000$$

Marriage Rate:

$$\frac{\text{No. of Persons Married}}{\text{Total Resident Population}} \times 1{,}000$$